



# Wally Benches


Designed to add seating to our planter collections, wall-hung Wally Benches are made from wood and steel and mount to our steel, aluminum, and GFRC Wilshire Planters and Kitsap Modular Planter Walls.

Wally is available in two different styles. Style A is a lightweight five plank bench. Style C is a more robust


bench made with 4x4 and 2x4 stock. Both styles are available in three standard lengths, 48", 72", 96". A change in length is available as a custom order.

# Wally Bench

### MITERED CORNER OPTIONS - STANDARD CORNER IS 90°



Standard mitered corners are available for mounting on inside or outside corners. Corners other than 90° are custom, check with your Advisor for details. Use the Application Sheet for Wally A or Wally C. Bench length describes the length of the bench that attaches to the wall, see drawing above.



PART NUMBER	MOUNTED TO:	DESCRIPTION
LY-RE-G	Tournesol GFRC Planter	Mounting & Reinforcement Kit for mounting Wally Benches to GFRC Planters. 1 kit per bench.
LY-RE-ST	Tournesol Metal Planter	Reinforcement Kit for mounting Wally Benches to Aluminum and Steel Planters. 1 kit per bench.

Wally benches used with Tournesol GFRC lightweight concrete, aluminum, or steel planters, need reinforcement behind planter walls. Wally benches can be added to other structures such as walls and cast-in-place planters, but anchoring and reinforcement are not included and should be provided as needed by others. *See diagrams*.

Planters supporting Wally benches may need to be anchored depending on size. Discuss with your Advisor.

Wally benches can be mounted at any height, but for seating we recommend 18". Wally style A can also be used as a counter by mounting at 36", or at 42" for bar height.

Optional skate deterrents may be installed in the field as required. Please contact your Advisor for details.






### Wally A Style Bench

- Versatile seating with optional mitered inside or outside corners
- Available in 4, 6, and 8 ft lengths
- Bench seat built with 1" x 3-1/2" wood boards
- Heavy gauge welded steel cantilever supports
- · May be mounted at bench, counter, or bar height





AVAILABLE WOOD SPECIES					
Bench Series	Thermally Modified Oak	Recycled Plastic Lumber	Douglas Fir	Western Red Cedar	lpe
Wally A (LY-A30-##)	$\checkmark$		$\checkmark$	$\checkmark$	$\checkmark$

### Weight varies depending on material used.

PRODUCT	DESCRIPTION	LENGTH	WIDTH	SEATING CAPACITY	WEIGHT (LBS)
LY-A30-48	Wally "A" Style Wood and Steel Wall-Hung Flat Bench - Thermally Modified Wood	48"	18"	2	55-70
LY-A30-72	Wally "A" Style Wood and Steel Wall-Hung Flat Bench - Thermally Modified Wood	72"	18"	3	75-95
LY-A30-96	Wally "A" Style Wood and Steel Wall-Hung Flat Bench - Thermally Modified Wood	96"	18"	4	95-120


Note: Planters used with Wally benches require additional reinforcement. Hardware not included. Check with your Advisor for details.



## Wally C Style Bench

- Versatile seating with optional mitered inside or outside corners
- Available in 4, 6, and 8 ft lengths
- Bench built with 1-1/2" x 3-1/2" and 3-1/2" x 3-1/2" wood boards
- Heavy gauge welded steel cantilever supports





AVAILABLE WOOD SPECIES	ILABLE WOOD SPECIES						
Bench Series	Thermally Modified Oak	Recycled Plastic Lumber	Douglas Fir	Western Red Cedar	lpe		
Wally C (LY-C30-##)		$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		

### Weight varies depending on material used.

PRODUCT	DESCRIPTION	LENGTH	WIDTH	SEATING CAPACITY	WEIGHT (LBS)
LY-C30-48	Wally "C" Style Wood and Steel Wall-Hung Cascade-Style Bench - Western Red Cedar	48"	20"	2	125
LY-C30-72	Wally "C" Style Wood and Steel Wall-Hung Cascade-Style Bench - Western Red Cedar	72"	20"	3	175
LY-C30-96	Wally "C" Style Wood and Steel Wall-Hung Cascade-Style Bench - Western Red Cedar	96"	20"	4	240

Note: Planters used with Wally benches require additional reinforcement. Hardware not included. Check with your Advisor for details.