



Wilshire Planters

Bring life to your commercial landscape projects with Wilshire, our most popular spacemaking planter collection. Versatility, durability, and customizability set it apart- it's why the landscape architecture community specifies Wilshire on many projects. Available in round, square, and rectangular shapes, as well as with laser cut panels, or Greenscreen®

trellis. Wilshire planters are available in powder-coated aluminum or steel, weathering steel, lightweight GFRC, and FRP fiberglass.

Shown above clockwise: Wilshire Planters with Accessory Pockets, Wilshire Planters in Weathering Steel, Wilshire Hanging Box in FRP, and Wilshire GFRC.

Wilshire Planters

GFRC Wilshire Planters

Lightweight GFRC weighs 75% less than typical cast concrete, but retains its durability, strength, and natural appearance. Wilshire planters in GFRC are great for high traffic, street level installations, but light enough to work on a roof deck. Available in 11 colors and five textures.

- GFRC Rectangle & Square
- GFRC Round
- GFRC Square with Toe Kick
- GFRC Round with Toe Kick
- GFRC with Greenscreen® Trellis
- GFRC with Laser-Cut Screen

FRP Wilshire Planters

The addition of glass fibers turns ordinary resin into a superhero! The Wilshire Planters made from FRP are the lightest among the collection yet can retain moisture-laden soil without deforming. Surface-applied textures add scratch-resistance and are available in stock or custom colors. Available in 18 colors and three textures.

- FRP Rectangle & Square
- FRP Round
- FRP Square with Toe Kick
- FRP Round with Toe Kick
- FRP with Greenscreen® Trellis
- FRP with Laser-Cut Screen
- FRP Hanging Box

METAL Wilshire Planters

Wilshire Powder-Coated Aluminum Planters are an environmentally friendly solution. Welded stiffeners and FEA are used to produce planters with the strength of steel but 40-60% of the weight.

Wilshire Powder-Coated Steel Planters are engineered with minimal wall thickness to be light when installed on-structure but resist deformation.

Wilshire Weathering Steel planters are shipped with a rustic mill-scale finish. Exact color of patina will change over time from a vibrant orange to a darker brown color.

- Metal Planters
- Aluminum Rectangle & Square
- Powder-Coated Steel Rectangle & Square
- Weathering Steel Rectangle & Square




Wilshire Planters GFRC Rectangle & Square

Lightweight GFRC weighs 75% less than typical cast concrete, but retains its durability, strength, and natural appearance. Wilshire planters in GFRC are great for high traffic, street level installations, but light enough to work on a roof deck. Available in 11 colors and five textures.


Made in Glass Fiber Reinforced Concrete (GFRC), Wilshire planters are durable in all climates and lighter than standard concrete.

Wilshire Planters, GFRc Rectangle & Square

WILSHIRE PLANTERS, GFRc RECTANGLES & SQUARES




Rectangle




Square

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round




Round with Toe Kick

OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.




Irrigation



Change Dimension




Accessory Pockets



Scoops



Casters



Tourneseal



Drain Holes




Matching Saucer



Lift Channels

Wilshire Planters GFRC Rectangle & Square


- Durable Glass Fiber Reinforced Concrete
- 75% lighter than cast concrete
- Huge range of sizes
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WCR-241218	Rectangle	24"	12"	18"	110	2.1	20" x 8"	22.5" x 10.5"	CWM-R1109-MS
WCR-241818	Rectangle	24"	18"	18"	135	3.4	20" x 14"	22.5" x 16.5"	CWM-R1109-MS
WCR-241824	Rectangle	24"	18"	24"	160	4.7	20" x 14"	22.5" x 16.5"	CWM-R1614-MS
WCR-241830	Rectangle	24"	18"	30"	190	6	20" x 14"	22.5" x 16.5"	CWM-R1620-MS
WCR-241836	Rectangle	24"	18"	36"	190	7.3	21" x 15"	22.5" x 16.5"	CWM-R1620-MS
WCR-242418	Square	24"	24"	18"	155	4.7	20" x 20"	22.5" x 22.5"	CWM-R1109-MS
WCR-2400F	Square	24"	24"	24"	225	7	21" x 21"	19.5" x 19.5"	CWC-R1850/CWM-R1114-2k
WCR-3000F	Square	30"	30"	27"	275	11	26" x 26"	24.5" x 24.5"	CWM-R1620-2k
WCR-361218	Rectangle	36"	12"	18"	150	3.3	32" x 8"	34.5" x 10.5"	CWM-R1109-2k
WCR-361818	Rectangle	36"	18"	18"	175	5.3	32" x 14"	34.5" x 16.5"	CWM-R1109-2k
WCR-361824	Rectangle	36"	18"	24"	225	7.1	32" x 14"	34.5" x 16.5"	CWM-R2014-MS
WCR-361830	Rectangle	36"	18"	30"	260	9.1	32" x 14"	34.5" x 16.5"	CWM-R2020-MS
WCR-361836	Rectangle	36"	18"	36"	275	11.1	33" x 15"	34.5" x 16.5"	CWM-R1620-MS
WCR-362418	Rectangle	36"	24"	18"	205	7.2	32" x 20"	34.5" x 22.5"	CWM-R1109-2k
WCR-362424	Rectangle	36"	24"	24"	260	9.8	32" x 20"	34.5" x 22.5"	CWM-R2014-MS
WCR-362430	Rectangle	36"	24"	30"	300	12.5	32" x 20"	34.5" x 22.5"	CWM-R2920-MS
WCR-362436	Rectangle	36"	24"	36"	375	14.9	31" x 19"	34.5" x 22.5"	CWM-R2020-MS
WCR-362442	Rectangle	36"	24"	42"	425	17.6	31" x 19"	34.5" x 22.5"	CWM-R2020-MS
WCR-363018	Rectangle	36"	30"	18"	235	9.2	32" x 26"	34.5" x 28.5"	CWM-R1109-2k
WCR-363024	Rectangle	36"	30"	24"	290	12.5	32" x 26"	34.5" x 28.5"	CWM-R2914-MS

Wilshire Planters GFRC Rectangle & Square


- Durable Glass Fiber Reinforced Concrete
- 75% lighter than cast concrete
- Huge range of sizes
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WCR-363030	Rectangle	36"	30"	30"	375	15.6	31" x 25"	34.5" x 28.5"	CWM-R2920-MS
WCR-363042	Rectangle	36"	30"	42"	475	22.4	31" x 25"	34.5" x 28.5"	CWM-R2920-MS
WCR-363618	Square	36"	36"	18"	260	11.2	31" x 31"	34.5" x 34.5"	CWM-R1109-2k
WCR-363624	Square	36"	36"	24"	335	15.1	31" x 31"	34.5" x 34.5"	CWM-R2914-MS
WCR-3600F	Square	36"	36"	30"	430	21	31" x 31"	30.5" x 30.5"	CWM-R2020-2k
WCR-363636	Rectangle	36"	36"	36"	485	23	31" x 31"	34.5" x 34.5"	CWM-R2920-MS
WCR-363642	Rectangle	36"	36"	42"	530	27.1	31" x 31"	34.5" x 34.5"	CWM-R2920-MS
WCR-4200F	Square	42"	42"	36"	580	30.7	37" x 37"	40.5" x 40.5"	CWM-R2020-4K-CRT
WCR-481218	Rectangle	48"	12"	18"	190	4.5	44" x 8"	46.5" x 10.5"	CWM-R1109-2k
WCR-481818	Rectangle	48"	18"	18"	220	7.1	44" x 14"	46.5" x 16.5"	CWM-R1109-2k
WCR-481824	Rectangle	48"	18"	24"	285	9.7	44" x 14"	46.5" x 16.5"	CWM-R1614-2k
WCR-481830	Rectangle	48"	18"	30"	325	12.3	44" x 14"	46.5" x 16.5"	CWM-R1620-2k
WCR-481836	Rectangle	48"	18"	36"	340	15	45" x 15"	46.5" x 16.5"	CWM-R1620-2k
WCR-482418	Rectangle	48"	24"	18"	255	9.8	44" x 20"	46.5" x 22.5"	CWM-R1109-3k
WCR-482424	Rectangle	48"	24"	24"	320	13.3	44" x 20"	46.5" x 22.5"	CWM-R1614-2k
WCR-482430	Rectangle	48"	24"	30"	365	16.9	44" x 20"	46.5" x 22.5"	CWM-R1620-2k
WCR-482436	Rectangle	48"	24"	36"	460	20.2	43" x 19"	46.5" x 22.5"	CWM-R1620-2k
WCR-482442	Rectangle	48"	24"	42"	515	23.8	43" x 19"	46.5" x 22.5"	CWM-R1620-2k
WCR-483018	Rectangle	48"	30"	18"	285	12.5	44" x 26"	46.5" x 28.5"	CWM-R1109-2k
WCR-483024	Rectangle	48"	30"	24"	355	16.9	44" x 26"	46.5" x 28.5"	CWM-R1614-2k

Wilshire Planters GFRC Rectangle & Square


- Durable Glass Fiber Reinforced Concrete
- 75% lighter than cast concrete
- Huge range of sizes
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WCR-483030	Rectangle	48"	30"	30"	455	21.2	43" x 25"	46.5" x 28.5"	CWM-R1620-2k
WCR-483036	Rectangle	48"	30"	36"	515	25.7	43" x 25"	46.5" x 28.5"	CWM-R1620-2k
WCR-483042	Rectangle	48"	30"	42"	570	30.3	43" x 25"	46.5" x 28.5"	CWM-R1620-2k
WCR-483618	Rectangle	48"	36"	18"	320	15.1	43" x 31"	46.5" x 34.5"	CWM-R1109-2k
WCR-483624	Rectangle	48"	36"	24"	405	20.5	43" x 31"	46.5" x 34.5"	CWM-R1614-2k
WCR-483630	Rectangle	48"	36"	30"	460	26.1	43" x 31"	46.5" x 34.5"	CWM-R1620-2k
WCR-483636	Rectangle	48"	36"	36"	575	31.2	43" x 31"	46.5" x 34.5"	CWM-R1620-2k
WCR-483642	Rectangle	48"	36"	42"	630	36.8	43" x 31"	46.5" x 34.5"	CWM-R1620-2k
WCR-484818	Square	48"	48"	18"	400	18.7	43" x 43"	46.5" x 46.5"	CWM-R1614-2k
WCR-4824F	Square	48"	48"	24"	500	26.5	43" x 43"	42.5" x 42.5"	CWM-R2914-2k
WCR-484830	Square	48"	48"	30"	560	33.2	43" x 43"	46.5" x 46.5"	CWM-R1620-2k
WCR-4800F	Square	48"	48"	36"	700	45	43" x 43"	42.5" x 42.5"	CWM-R2920-2k
WCR-484842	Square	48"	48"	42"	870	46.8	43" x 43"	46.5" x 46.5"	CWM-R1620-2k
WCR-601218	Rectangle	60"	12"	18"	230	5.6	56" x 8"	58.5" x 10.5"	CWM-R1109-3k
WCR-601818	Rectangle	60"	18"	18"	270	8.9	56" x 14"	58.5" x 16.5"	CWM-R1109-3k
WCR-601824	Rectangle	60"	18"	24"	345	12.1	56" x 14"	58.5" x 16.5"	CWM-R2014-2k
WCR-601830	Rectangle	60"	18"	30"	400	15.5	56" x 14"	58.5" x 16.5"	CWM-R2020-2k
WCR-601836	Rectangle	60"	18"	36"	425	18.7	57" x 15"	58.5" x 16.5"	CWM-R2020-2k
WCR-602418	Rectangle	60"	24"	18"	305	12.3	56" x 20"	58.5" x 22.5"	CWM-R1109-3k
WCR-602424	Rectangle	60"	24"	24"	385	16.7	56" x 20"	58.5" x 22.5"	CWM-R2014-2k

Wilshire Planters GFRC Rectangle & Square


- Durable Glass Fiber Reinforced Concrete
- 75% lighter than cast concrete
- Huge range of sizes
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WCR-602430	Rectangle	60"	24"	30"	445	21.3	56" x 20"	58.5" x 22.5"	CWM-R2020-2k
WCR-602436	Rectangle	60"	24"	36"	565	25.4	55" x 19"	58.5" x 22.5"	CWM-R2020-2k
WCR-602442	Rectangle	60"	24"	42"	630	29.9	55" x 19"	58.5" x 22.5"	CWM-R2020-2k
WCR-603018	Rectangle	60"	30"	18"	345	15.7	56" x 26"	58.5" x 28.5"	CWM-R1109-3k
WCR-603024	Rectangle	60"	30"	24"	425	21.3	56" x 26"	58.5" x 28.5"	CWM-R2014-2k
WCR-603030	Rectangle	60"	30"	30"	545	26.7	55" x 25"	58.5" x 28.5"	CWM-R2020-2k
WCR-603042	Rectangle	60"	30"	42"	690	38.1	55" x 25"	58.5" x 28.5"	CWM-R2020-2k
WCR-603618	Rectangle	60"	36"	18"	380	19.1	55" x 31"	58.5" x 34.5"	CWM-R1109-3k
WCR-603624	Rectangle	60"	36"	24"	480	25.8	55" x 31"	58.5" x 34.5"	CWM-R2014-2k
WCR-603630	Rectangle	60"	36"	30"	545	32.8	55" x 31"	58.5" x 34.5"	CWM-R2020-2k
WCR-603636	Rectangle	60"	36"	36"	690	39.2	55" x 31"	58.5" x 34.5"	CWM-R2020-2k
WCR-603642	Rectangle	60"	36"	42"	755	46.2	55" x 31"	58.5" x 34.5"	CWM-R2020-2k
WCR-604818	Rectangle	60"	48"	18"	470	23.5	55" x 43"	58.5" x 46.5"	CWM-R2014-2k
WCR-604824	Rectangle	60"	48"	24"	780	32.4	55" x 43"	58.5" x 46.5"	CWM-R2014-2k
WCR-604830	Rectangle	60"	48"	30"	655	41.8	55" x 43"	58.5" x 46.5"	CWM-R2020-2k
WCR-604836	Rectangle	60"	48"	36"	930	49.5	55" x 43"	58.5" x 46.5"	CWM-R2020-2k
WCR-604842	Rectangle	60"	48"	42"	1035	58.7	55" x 43"	58.5" x 46.5"	CWM-R2020-2k
WCR-6000F	Square	60"	60"	42"	1050	51	55" x 55"	54.5" x 54.5"	CWM-R2920-4k
WCR-721218	Rectangle	72"	12"	18"	270	6.8	68" x 8"	70.5" x 10.5"	CWM-R1109-4k
WCR-721818	Rectangle	72"	18"	18"	315	10.8	68" x 14"	70.5" x 16.5"	CWM-R1109-4k

Wilshire Planters GFRC Rectangle & Square


- Durable Glass Fiber Reinforced Concrete
- 75% lighter than cast concrete
- Huge range of sizes
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WCR-721824	Rectangle	72"	18"	24"	410	14.6	68" x 14"	70.5" x 16.5"	CWM-R1614-3k
WCR-721830	Rectangle	72"	18"	30"	470	18.6	68" x 14"	70.5" x 16.5"	CWM-R1620-3k
WCR-721836	Rectangle	72"	18"	36"	500	22.5	69" x 15"	70.5" x 16.5"	CWM-R1620-3k
WCR-722418	Rectangle	72"	24"	18"	360	14.8	68" x 20"	70.5" x 22.5"	CWM-R1109-4k
WCR-722424	Rectangle	72"	24"	24"	450	20.1	68" x 20"	70.5" x 22.5"	CWM-R1614-3k
WCR-722430	Rectangle	72"	24"	30"	520	25.6	68" x 20"	70.5" x 22.5"	CWM-R1620-3k
WCR-722436	Rectangle	72"	24"	36"	660	30.6	67" x 19"	70.5" x 22.5"	CWM-R1620-3k
WCR-722442	Rectangle	72"	24"	42"	735	36	67" x 19"	70.5" x 22.5"	CWM-R1620-3k
WCR-723018	Rectangle	72"	30"	18"	400	18.9	68" x 26"	70.5" x 28.5"	CWM-R1109-4k
WCR-723024	Rectangle	72"	30"	24"	500	25.7	68" x 26"	70.5" x 28.5"	CWM-R1614-3k
WCR-723030	Rectangle	72"	30"	30"	630	32.2	67" x 25"	70.5" x 28.5"	CWM-R1620-3k
WCR-723036	Rectangle	72"	30"	36"	725	38.9	67" x 25"	70.5" x 28.5"	CWM-R1620-3k
WCR-723042	Rectangle	72"	30"	42"	795	45.9	67" x 25"	70.5" x 28.5"	CWM-R1620-3k
WCR-723618	Rectangle	72"	36"	18"	440	23	67" x 31"	70.5" x 34.5"	CWM-R1109-4k
WCR-723624	Rectangle	72"	36"	24"	550	31.1	67" x 31"	70.5" x 34.5"	CWM-R1614-3k
WCR-723630	Rectangle	72"	36"	30"	625	39.5	67" x 31"	70.5" x 34.5"	CWM-R1620-3k
WCR-723636	Rectangle	72"	36"	36"	795	47.3	67" x 31"	70.5" x 34.5"	CWM-R1620-3k
WCR-723642	Rectangle	72"	36"	42"	870	55.7	67" x 31"	70.5" x 34.5"	CWM-R1620-3k
WCR-724818	Rectangle	72"	48"	18"	540	28.3	67" x 43"	70.5" x 46.5"	CWM-R1614-3k
WCR-724824	Rectangle	72"	48"	24"	995	39.1	67" x 43"	70.5" x 46.5"	CWM-R2914-2k

Wilshire Planters GFRC Rectangle & Square


- Durable Glass Fiber Reinforced Concrete
- 75% lighter than cast concrete
- Huge range of sizes
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WCR-724830	Rectangle	72"	48"	30"	750	50.5	67" x 43"	70.5" x 46.5"	CWM-R1620-3k
WCR-724836	Rectangle	72"	48"	36"	1060	59.8	67" x 43"	70.5" x 46.5"	CWM-R2920-2k
WCR-724842	Rectangle	72"	48"	42"	1165	71	67" x 43"	70.5" x 46.5"	CWM-R2920-2k
WCR-7200F	Square	72"	72"	42"	1250	112.5	67" x 67"	66.5" x 66.5"	CWM-R2020-4k-E
WCR-961218	Rectangle	96"	12"	18"	350	9.1	92" x 8"	94.5" x 10.5"	CWM-R1109-4k
WCR-961818	Rectangle	96"	18"	18"	445	14.2	92" x 14"	94.5" x 16.5"	CWM-R1109-5k
WCR-961824	Rectangle	96"	18"	24"	555	19.3	92" x 14"	94.5" x 16.5"	CWM-R1614-3k
WCR-961830	Rectangle	96"	18"	30"	635	24.7	92" x 14"	94.5" x 16.5"	CWM-R2020-3k
WCR-961836	Rectangle	96"	18"	36"	640	30.2	93" x 15"	94.5" x 16.5"	CWM-R1620-4k
WCR-962418	Rectangle	96"	24"	18"	490	19.7	92" x 20"	94.5" x 22.5"	CWM-R1109-5k
WCR-962424	Rectangle	96"	24"	24"	575	27	92" x 20"	94.5" x 22.5"	CWM-R2014-3k
WCR-962430	Rectangle	96"	24"	30"	700	34.1	92" x 20"	94.5" x 22.5"	CWM-R1620-4k
WCR-962436	Rectangle	96"	24"	36"	885	40.7	91" x 19"	94.5" x 22.5"	CWM-R1620-4k
WCR-962442	Rectangle	96"	24"	42"	965	48.1	91" x 19"	94.5" x 22.5"	CWM-R2020-3k
WCR-963018	Rectangle	96"	30"	18"	540	25.2	92" x 26"	94.5" x 28.5"	CWM-R1109-5k
WCR-963024	Rectangle	96"	30"	24"	665	34.2	92" x 26"	94.5" x 28.5"	CWM-R2014-3k
WCR-963030	Rectangle	96"	30"	30"	825	43	91" x 25"	94.5" x 28.5"	CWM-R2020-3k
WCR-963042	Rectangle	96"	30"	42"	1045	61.3	91" x 25"	94.5" x 28.5"	CWM-R1620-4k
WCR-963618	Rectangle	96"	36"	18"	585	30.6	91" x 31"	94.5" x 34.5"	CWM-R1109-5k
WCR-963624	Rectangle	96"	36"	24"	725	41.6	91" x 31"	94.5" x 34.5"	CWM-R2014-3k

Wilshire Planters GFRC Rectangle & Square


- Durable Glass Fiber Reinforced Concrete
- 75% lighter than cast concrete
- Huge range of sizes
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WCR-963630	Rectangle	96"	36"	30"	820	52.9	91" x 31"	94.5" x 34.5"	CWM-R2020-3k
WCR-963636	Rectangle	96"	36"	36"	995	63.5	91" x 31"	94.5" x 34.5"	CWM-R1620-4k
WCR-963642	Rectangle	96"	36"	42"	1115	74.6	91" x 31"	94.5" x 34.5"	CWM-R1620-4k
WCR-964818	Rectangle	96"	48"	18"	710	37.6	91" x 43"	94.5" x 46.5"	CWM-R2014-3k
WCR-964824	Rectangle	96"	48"	24"	865	52.1	91" x 43"	94.5" x 46.5"	CWM-R2014-3k
WCR-964830	Rectangle	96"	48"	30"	960	67.3	91" x 43"	94.5" x 46.5"	CWM-R2020-3k
WCR-964836	Rectangle	96"	48"	36"	1320	80.5	91" x 43"	94.5" x 46.5"	CWM-R2020-4k
WCR-964842	Rectangle	96"	48"	42"	1480	95	91" x 43"	94.5" x 46.5"	CWM-R2020-4k
WCR-1201218	Rectangle	120"	12"	18"	430	11.4	116" x 8"	118.5" x 10.5"	CWM-R1109-5k or CWM R1109-MS
WCR-1201818	Rectangle	120"	18"	18"	545	17.8	116" x 14"	118.5" x 16.5"	CWM-R1114-4k/5K or CWM-R1614-4k/5k
WCR-1201824	Rectangle	120"	18"	24"	685	24.3	116" x 14"	118.5" x 16.5"	CWM-R1614-4k
WCR-1201830	Rectangle	120"	18"	30"	780	31	116" x 14"	118.5" x 16.5"	CWM-R2020-4k
WCR-1201836	Rectangle	120"	18"	36"	835	37.5	117" x 15"	118.5" x 16.5"	CWM-R1620-4k
WCR-1202418	Rectangle	120"	24"	18"	600	24.7	116" x 20"	118.5" x 22.5"	CWM-R1109-5K or CWM-R1109-MS
WCR-1202424	Rectangle	120"	24"	24"	705	33.9	116" x 20"	118.5" x 22.5"	CWM-R2014-4k
WCR-1202430	Rectangle	120"	24"	30"	845	42.8	116" x 20"	118.5" x 22.5"	CWM-R2020-4k
WCR-1202436	Rectangle	120"	24"	36"	1070	51.1	115" x 19"	118.5" x 22.5"	CWM-R2020-4k
WCR-1202442	Rectangle	120"	24"	42"	1175	60.3	115" x 19"	118.5" x 22.5"	CWM-R2020-4k
WCR-1203018	Rectangle	120"	30"	18"	660	31.6	116" x 26"	118.5" x 28.5"	CWM-R1109-3K or CWM-R1109-4K
WCR-1203024	Rectangle	120"	30"	24"	805	42.9	116" x 26"	118.5" x 28.5"	CWM-R2014-4k

Wilshire Planters GFRC Rectangle & Square

- Durable Glass Fiber Reinforced Concrete
- 75% lighter than cast concrete
- Huge range of sizes
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WCR-1203030	Rectangle	120"	30"	30"	1000	54	115" x 25"	118.5" x 28.5"	CWM-R2020-4k
WCR-1203042	Rectangle	120"	30"	42"	1255	77	115" x 25"	118.5" x 28.5"	CWM-R2020-4k
WCR-1203618	Rectangle	120"	36"	18"	710	38.5	115" x 31"	118.5" x 34.5"	CWM-R1109-5k
WCR-1203624	Rectangle	120"	36"	24"	880	52.2	115" x 31"	118.5" x 34.5"	CWM-R2014-4K1
WCR-1203630	Rectangle	120"	36"	30"	990	66.3	115" x 31"	118.5" x 34.5"	CWM-R2020-4k
WCR-1203636	Rectangle	120"	36"	36"	1235	79.5	115" x 31"	118.5" x 34.5"	CWM-R2020-4k
WCR-1203642	Rectangle	120"	36"	42"	1345	93.6	115" x 31"	118.5" x 34.5"	CWM-R2020-4k




Wilshire Planters GFRC Round

Lightweight GFRC weighs 75% less than typical cast concrete, but retains its durability, strength, and natural appearance. Wilshire planters in GFRC are great for high traffic, street level installations, but light enough to work on a roof deck. Available in 11 colors and five textures.

Made in Glass Fiber Reinforced Concrete (GFRC), Wilshire planters are durable in all climates and lighter than standard concrete.

Wilshire Planters, GFRC Round


WILSHIRE PLANTERS, GFRC ROUND




Round

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire



Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round




Round with Toe Kick

OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Change Dimension



Casters



TourneSeal




Drain Holes



Matching Saucer

Wilshire Planters GFRC Round

- Durable Glass Fiber Reinforced Concrete
- Natural stone appearance
- 75% lighter than cast concrete
- Drain holes standard



PRODUCT	SHAPE	DIA.	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WCS-2400F	Round	24" dia	24"	130	5.5	21" dia	19.5" dia	CWC-1600/CWM-1114-2k
WCS-3000F	Round	30" dia	27"	185	10	27" dia	24.5" dia	CWC-2400/CWM-1720-2k
WCS-3600F	Round	36" dia	30"	275	16.5	31.5" dia	30.5" dia	CWC-2800/CWM-1720-3k
WCS-4200F	Round	42" dia	33"	340	25	37.5" dia	36.5" dia	CWC-3300/CWM-1720-3k
WCS-4800F	Round	48" dia	36"	445	32.5	43.5" dia	42.5" dia	CWM-2920-3k
WCS-6000F	Round	60" dia	36"	590	52	55.5" dia	54.5" dia	CWM-2920-4k
WCS-7200F	Round	72" dia	42"	865	86.5	67" dia	66.5" dia	CWM-2920-4k




Wilshire Planters GFRC Square with Toe Kick

Lightweight GFRC weighs 75% less than typical cast concrete, but retains its durability, strength, and natural appearance. Wilshire planters in GFRC are great for high traffic, street level installations, but light enough to work on a roof deck. Available in 11 colors and five textures.

Made in Glass Fiber Reinforced Concrete (GFRC), Wilshire planters are durable in all climates and lighter than standard concrete.

Wilshire Planters, GFRC Square with Toe Kick


WILSHIRE PLANTERS, GFRC SQUARE WITH TOE KICK




Square with Toe Kick

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round




Round with Toe Kick

OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.




Irrigation



Change Dimension



Accessory Pockets



Scoops



TourneSeal



Drain Holes




Matching Saucer



Lift Channels

Wilshire Planters GFRC Square with Toe Kick

- Durable Glass Fiber Reinforced Concrete
- 75% lighter than cast concrete
- Standard toe kick
- Toe kick can accommodate lighting
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WCRT-1800	Toe Kick Square - tall	18"	18"	30"	115	5.2	15" x 15"	16.5" x 16.5"	CWC-R1100
WCR-2400	Toe Kick Square	24"	24"	24"	225	7	21" x 21"	19.5" x 19.5"	CWC-R1850/CWM-R1114-2k
WCRT-2400	Toe Kick Square - tall	24"	24"	48"	240	14.9	21" x 21"	22.5" x 22.5"	CWC-R1850
WCR-3000	Toe Kick Square	30"	30"	27"	275	11	26" x 26"	24.5" x 24.5"	CWM-R1620-2k
WCRT-3000	Toe Kick Square - tall	30"	30"	54"	390	26.4	26" x 26"	28.5" x 28.5"	CWM-R1620-2k-CRT
WCR-3600	Toe Kick Square	36"	36"	30"	430	21	31" x 31"	30.5" x 30.5"	CWM-R2020-2k
WCR-4800	Toe Kick Square	48"	48"	36"	700	45	43" x 43"	42.5" x 42.5"	CWM-R2920-2k
WCR-4824	Toe Kick Square	48"	48"	24"	500	26.5	43" x 43"	42.5" x 42.5"	CWM-R2914-2k
WCR-6000	Toe Kick Square	60"	60"	42"	1050	51	55" x 55"	54.5" x 54.5"	CWM-R2920-4k
WCR-7200	Toe Kick Square	72"	72"	42"	1250	112.5	67" x 67"	66.5" x 66.5"	CWM-R2020-4k-E




Wilshire Planters GFRC Round with Toe Kick

Lightweight GFRC weighs 75% less than typical cast concrete, but retains its durability, strength, and natural appearance. Wilshire planters in GFRC are great for high traffic, street level installations, but light enough to work on a roof deck. Available in 11 colors and five textures.

Made in Glass Fiber Reinforced Concrete (GFRC), Wilshire planters are durable in all climates and lighter than standard concrete.

Wilshire Planters, GFRC Round with Toe Kick


WILSHIRE PLANTERS, GFRC ROUND WITH TOE KICK




Round with Toe Kick

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round




Round with Toe Kick

OPTIONS


Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Change Dimension



TourneSeal




Drain Holes



Matching Saucer

Wilshire Planters GFRC Round with Toe Kick

- Durable Glass Fiber Reinforced Concrete
- 75% lighter than cast concrete
- Toe kick visually lifts planter
- Toe kick can accommodate lighting
- Drain holes standard



PRODUCT	SHAPE	DIA.	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WCST-1800	Toe Kick Round - Tall	18" dia	30"	95	3.5	15" x 15"	16.5" x 16.5"	CWI-1200
WCS-2400	Toe Kick Round	24" dia	24"	130	5.5	21" dia	19.5" dia	CWC-1600/CWM-1114-2k
WCST-2400	Toe Kick Round - Tall	24" dia	48"	190	10.6	21" x 21"	22.5" x 22.5"	CWI-1700
WCS-3000	Toe Kick Round	30" dia	27"	185	10	27" dia	24.5" dia	CWC-2400/CWM-1720-2k
WCST-3000	Toe Kick Round - Tall	30" dia	54"	285	19.2	26" x 26"	28.5" x 28.5"	CWI-2200
WCS-3600	Toe Kick Round	36" dia	30"	275	16.5	31.5" dia	30.5" dia	CWC-2800/CWM-1720-3k
WCS-4200	Toe Kick Round	42" dia	33"	340	25	37.5" dia	36.5" dia	CWC-3300/CWM-1720-3k
WCS-4800	Toe Kick Round	48" dia	36"	445	32.5	43.5" dia	42.5" dia	CWM-2920-3k
WCS-6000	Toe Kick Round	60" dia	36"	590	52	55.5" dia	54.5" dia	CWM-2920-4k
WCS-7200	Toe Kick Round	72" dia	42"	865	86.5	67" dia	66.5" dia	CWM-2920-4k




Wilshire Planters GFRC with Greenscreen® Trellis

An attractive, easy-to-install solution for creating privacy or hiding unattractive elements like building systems. Lightweight GFRC concrete planter (available in colors and textures), and Greenscreen® trellis, framed on top and sides, with vertical supports to fit in planter lip. Trellis is available in various powder-coat colors.

Wilshire Planters, GFRC with Greenscreen® Trellis


WILSHIRE PLANTERS GFRC WITH GREENSCREEN® TRELLIS




Planter with Trellis

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round



Round with Toe Kick

OPTIONS


Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Accessory Pockets



TourneSeal




Drain Holes



Matching Saucer

Wilshire Planters, GFRC with Greenscreen® Trellis

- Durable, lightweight GFRC planter with powder-coated Greenscreen® trellis. 2"W x 2"L x 3"D grid.
- Trellis vertical supports fit into planter lip and are secured with discrete stainless-steel fasteners.
- Trellis is framed on top and sides and extends to planter edge so adjacent planters form a seamless trellis wall.
- Select a Greenscreen Trellis color in addition to a GFRC color and texture. Standard drain holes included.



* Add "-X" after product number to indicate optional offset mounting.

PRODUCT	LENGTH	WIDTH	HEIGHT OF PLANTER	TOTAL HEIGHT WITH TRELLIS	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	IRRIGATION
WCX2-481824-74	48"	18"	24"	74"	318	9.7	CWM-R1620-2k
WCX2-481830-80	48"	18"	30"	80"	355	14.6	CWM-R1620-2k
WCX2-481836-86	48"	18"	36"	86"	373	19.3	CWM-R1620-2k
WCX2-482424-74	48"	24"	24"	74"	353	12.3	CWM-R1620-2k
WCX2-482430-80	48"	24"	30"	80"	395	18.6	CWM-R1620-2k
WCX2-482436-86	48"	24"	36"	86"	490	24.7	CWM-R1620-2k
WCX2-721824-74	72"	18"	24"	74"	450	15	CWM-R1620-3k
WCX2-721830-80	72"	18"	30"	80"	510	22.5	CWM-R1620-3k
WCX2-721836-86	48"	18"	36"	86"	540	30.2	CWM-R1620-3k
WCX2-722424-74	72"	24"	24"	74"	490	13.3	CWM-R1620-3k
WCX2-722430-80	72"	24"	30"	80"	560	20.1	CWM-R1620-3k
WCX2-722436-86	72"	24"	36"	86"	700	27	CWM-R1620-3k
WCX2-961824-74	96"	18"	24"	74"	605	16.9	CWM-R1620-4k
WCX2-961830-80	96"	18"	30"	80"	685	25.6	CWM-R1620-3k
WCX2-961836-86	96"	18"	36"	86"	690	34.1	CWM-R1620-4k
WCX2-962424-74	96"	24"	24"	74"	625	20.2	CWM-R1620-4k
WCX2-962430-80	96"	24"	30"	80"	750	30.6	CWM-R1620-4k
WCX2-962436-86	96"	24"	36"	86"	925	40.7	CWM-R1620-4k




Wilshire Planters GFRG with Laser-Cut Screen

An attractive, easy-to-install solution for creating privacy or hiding unattractive elements such as building systems. Available in lightweight GFRG concrete or FRP Fiberglass in all colors and textures. Steel laser-cut screen is available in all powder-coat finishes.

Wilshire Planters, GFRC with Laser-Cut Screen


WILSHIRE PLANTERS GFRC WITH LASER-CUT SCREEN




Planter with Laser-Cut Screen
Screen Patterns on the following page.

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire



Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round



Round with Toe Kick

OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Accessory Pockets



TourneSeal



Drain Holes



Matching Saucer

Wilshire Planters GFRC with Laser-Cut Screen

Select one of the patterns shown at right or submit your own artwork.

Available in powder-coated or weathering steel.

Shown at right in 48"L x 48"H



**WCX-48 INCLUDES ONE
48" L x 48" H LASER-CUT SCREEN.**




**WCX-72 INCLUDES ONE
72" L x 48" H LASER-CUT SCREEN.**




**WCX-96 INCLUDES ONE
96" L x 48" H LASER-CUT SCREEN.**

CUSTOM PATTERN OPTIONS


Part No.	Description
WXS-LC	Custom laser-cut screen charge, varies by design and size
WXS Setup CAD	One-time setup charge for laser-cut screens, customer to provide CAD drawings
WXS Setup PDF	One-time setup charge for laser-cut screens, customer to provide PDF drawings




Pattern 2




Pattern 3




Pattern 4



Pattern 6




Pattern 7



Pattern 8

Wilshire Planters GFRC with Laser-Cut Screen

- Durable Glass Fiber Reinforced Concrete
- Laser-cut steel screen
- Standard patterns & custom available
- Hidden support brackets
- Drain holes standard



PRODUCT	LENGTH	WIDTH	HEIGHT OF PLANTER	TOTAL HEIGHT WITH SCREEN	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	IRRIGATION	LASER-CUT SCREEN
WCX-481824-78	48"	18"	24"	78"	304	10	CWM-R1614-2k	Options on following page
WCX-481836-90	48"	18"	36"	90"	359	15	CWM-R1620-2k	Options on following page
WCX-482424-78	48"	24"	24"	78"	339	13	CWM-R1614-2k	Options on following page
WCX-721824-78	72"	18"	24"	78"	429	14.5	CWM-R1614-3k	Options on following page
WCX-721836-90	72"	18"	36"	90"	519	22.5	CWM-R1620-3k	Options on following page
WCX-722424-78	72"	24"	24"	78"	469	14.5	CWM-R1614-3k	Options on following page
WCX-961824-78	96"	18"	24"	78"	577	19	CWM-R1614-4k	Call for information
WCX-962424-78	96"	24"	24"	78"	597	27	CWM-R2014-3k	Call for information
WCX-961836-90	96"	18"	36"	90"	662	30	CWM-R1620-4k	Call for information




Wilshire Planters FRP Rectangle & Square


The addition of glass fibers turns ordinary resin into a superhero! The Wilshire Planters made from FRP are the lightest among the collection yet can retain moisture-laden soil without deforming. Surface-applied textures add scratch-resistance and are available in stock or custom colors. Available in 18 colors and three textures.

Wilshire Planters, FRP Rectangle & Square

WILSHIRE PLANTERS, FRP RECTANGLES & SQUARES




Rectangle




Square

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire



Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round




Round with Toe Kick

OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Change Dimension




Accessory Pockets



Scoops



Casters



Tourneseal




Drain Holes



Matching Saucer



False Bottom



Tie Downs



Bottom Reinforcement




Lift Channels



Custom Color

Wilshire Planters FRP Rectangle & Square


- Lightweight fiberglass
- Available in three standard textures
- Huge range of sizes
- Drain holes upon request or installed in field



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WR-1800F	Square	18"	18"	20"	26	3.4	15" x 15"	14.5" x 14.5"	CWC-R1300
WR-241012	Rectangle	24"	10"	12"	16	1.5	21" x 7"	23.5" x 9.5"	CWM-R1109-MS
WR-241218	Rectangle	24"	12"	18"	24	2.8	21" x 9"	23.5" x 11.5"	CWM-R1114-MS
WR-241236	Rectangle	24"	12"	36"	41	5.6	21" x 9"	23.5" x 11.5"	CWM-R1120-MS
WR-241818	Rectangle	24"	18"	18"	29	4.3	21" x 15"	23.5" x 17.5"	CWM-R1114-MS
WR-241824	Rectangle	24"	18"	24"	36	5.7	21" x 15"	23.5" x 17.5"	CWM-R1620-MS
WR-241830	Rectangle	24"	18"	30"	42	7	21" x 15"	23.5" x 17.5"	CWM-R1620-MS
WR-241836	Rectangle	24"	18"	36"	49	8.4	21" x 15"	23.5" x 17.5"	CWM-R1620-MS
WR-242418	Square	24"	24"	18"	34	5.7	21" x 21"	23.5" x 23.5"	CWM-R1614-MS
WR-2400F	Square	24"	24"	24"	42	8	21" x 21"	20.5" x 20.5"	CWC-R1850/CWM-R1114-2k
WR-3000F	Square	30"	30"	27"	59	14	27" x 27"	25.5" x 25.5"	CWM-R1620-2k
WR-361012	Rectangle	36"	10"	12"	23	2.3	33" x 7"	35.5" x 9.5"	CWM-R1109-2k
WR-361218	Rectangle	36"	12"	18"	32	4.3	33" x 9"	35.5" x 11.5"	CWM-R1114-2k
WR-361236	Rectangle	36"	12"	36"	55	8.5	33" x 9"	35.5" x 11.5"	CWM-R1120-2k
WR-361818	Rectangle	36"	18"	18"	38	6.5	33" x 15"	35.5" x 17.5"	CWM-R1114-2k
WR-361824	Rectangle	36"	18"	24"	47	8.6	33" x 15"	35.5" x 17.5"	CWM-R2020-MS
WR-361830	Rectangle	36"	18"	30"	56	10.5	33" x 15"	35.5" x 17.5"	CWM-R2020-MS
WR-361836	Rectangle	36"	18"	36"	64	12.7	33" x 15"	35.5" x 17.5"	CWM-R2020-MS
WR-362418	Rectangle	36"	24"	18"	44	8.7	33" x 21"	35.5" x 23.5"	CWM-R2014-MS
WR-362424	Rectangle	36"	24"	24"	54	11.6	33" x 21"	35.5" x 23.5"	CWM-R2920-MS

Wilshire Planters FRP Rectangle & Square


- Lightweight fiberglass
- Available in three standard textures
- Huge range of sizes
- Drain holes upon request or installed in field



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WR-362430	Rectangle	36"	24"	30"	64	14.1	33" x 21"	35.5" x 23.5"	CWM-R2920-MS
WR-362436	Rectangle	36"	24"	36"	73	17.4	33" x 21"	35.5" x 23.5"	CWM-R2920-MS
WR-362442	Rectangle	36"	24"	42"	83	19.7	33" x 21"	35.5" x 23.5"	CWM-R2920-MS
WR-363018	Rectangle	36"	30"	18"	51	10.9	33" x 27"	35.5" x 29.5"	CWM-R2914-MS
WR-363024	Rectangle	36"	30"	24"	61	13.7	33" x 27"	35.5" x 29.5"	CWM-R2920-MS
WR-363030	Rectangle	36"	30"	30"	72	17.3	33" x 27"	35.5" x 29.5"	CWM-R2920-MS
WR-363036	Rectangle	36"	30"	36"	82	20.8	33" x 27"	35.5" x 29.5"	CWM-R2920-MS
WR-363042	Rectangle	36"	30"	42"	93	24.4	33" x 27"	35.5" x 29.5"	CWM-R2920-MS
WR-363618	Square	36"	36"	18"	57	12.4	31" x 31"	35.5" x 35.5"	CWM-R1114-2k
WR-363624	Square	36"	36"	24"	68	16.2	31" x 31"	35.5" x 35.5"	CWM-R1120-2k
WR-3600F	Square	36"	36"	30"	80	22	31" x 31"	35.5" x 35.5"	CWM-R1620-2k
WR-363636	Square	36"	36"	36"	91	24.6	31" x 31"	35.5" x 35.5"	CWM-R1120-2k
WR-363642	Square	36"	36"	42"	103	28.8	31" x 31"	35.5" x 35.5"	CWM-R1120-2k
WR-4200F	Square	42"	42"	36"	110	37	37" x 37"	43.5" x 43.5"	CWM-R2920-2K
WR-481012	Rectangle	48"	10"	12"	29	3.1	45" x 7"	47.5" x 9.5"	CWM-R1109-2k
WR-481218	Rectangle	48"	12"	18"	41	5.7	45" x 9"	47.5" x 11.5"	CWM-R1114-2k
WR-481236	Rectangle	48"	12"	36"	69	11.3	45" x 9"	47.5" x 11.5"	CWM-R1120-2k
WR-481818	Rectangle	48"	18"	18"	48	8.6	45" x 15"	47.5" x 17.5"	CWM-R1114-2k
WR-481824	Rectangle	48"	18"	24"	58	11.5	45" x 15"	47.5" x 17.5"	CWM-R1620-2k
WR-481830	Rectangle	48"	18"	30"	69	13.5	45" x 15"	47.5" x 17.5"	CWM-R1620-2k

Wilshire Planters FRP Rectangle & Square


- Lightweight fiberglass
- Available in three standard textures
- Huge range of sizes
- Drain holes upon request or installed in field



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WR-481836	Rectangle	48"	18"	36"	79	17	45" x 15"	47.5" x 17.5"	CWM-R1620-2k
WR-482418	Rectangle	48"	24"	18"	55	11.5	45" x 21"	47.5" x 23.5"	CWM-R1614-2k
WR-482424	Rectangle	48"	24"	24"	66	15	45" x 21"	47.5" x 23.5"	CWM-R1620-2k
WR-482430	Rectangle	48"	24"	30"	78	18.8	45" x 21"	47.5" x 23.5"	CWM-R1620-2k
WR-482436	Rectangle	48"	24"	36"	89	23.3	45" x 21"	47.5" x 23.5"	CWM-R1620-2k
WR-482442	Rectangle	48"	24"	42"	101	26.3	45" x 21"	47.5" x 23.5"	CWM-R1620-2k
WR-483018	Rectangle	48"	30"	18"	62	14.5	45" x 27"	47.5" x 29.5"	CWM-R1614-2k
WR-483024	Rectangle	48"	30"	24"	74	18.3	45" x 27"	47.5" x 29.5"	CWM-R1620-2k
WR-483030	Rectangle	48"	30"	30"	87	23	45" x 27"	47.5" x 29.5"	CWM-R1620-2k
WR-483036	Rectangle	48"	30"	36"	99	27.8	45" x 27"	47.5" x 29.5"	CWM-R1620-2k
WR-483042	Rectangle	48"	30"	42"	112	32.5	45" x 27"	47.5" x 29.5"	CWM-R1620-2k
WR-483618	Rectangle	48"	36"	18"	69	16.6	43" x 31"	47.5" x 35.5"	CWM-R1614-2k
WR-483624	Rectangle	48"	36"	24"	84	21.7	43" x 31"	47.5" x 35.5"	CWM-R1620-2k
WR-483630	Rectangle	48"	36"	30"	98	27.4	43" x 31"	47.5" x 35.5"	CWM-R1620-2k
WR-483636	Rectangle	48"	36"	36"	111	33	43" x 31"	47.5" x 35.5"	CWM-R1620-2k
WR-483642	Rectangle	48"	36"	42"	125	38.6	43" x 31"	47.5" x 35.5"	CWM-R1620-2k
WR-484818	Rectangle	48"	48"	18"	85	22.1	43" x 43"	47.5" x 47.5"	CWM-R1614-2k
WR-4824F	Square	48"	48"	24"	101	29	43" x 43"	43.5" x 43.5"	CWM-R2914-2k
WR-484830	Square	48"	48"	30"	116	36.3	43" x 43"	47.5" x 47.5"	CWM-R1620-2k
WR-4800F	Square	48"	48"	36"	132	48	43" x 43"	43.5" x 43.5"	CWM-R2920-2k

Wilshire Planters FRP Rectangle & Square


- Lightweight fiberglass
- Available in three standard textures
- Huge range of sizes
- Drain holes upon request or installed in field



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WR-484842	Square	48"	48"	42"	147	51.1	43" x 43"	47.5" x 47.5"	CWM-R1620-2k
WR-601012	Rectangle	60"	10"	12"	36	3.9	57" x 7"	59.5" x 9.5"	CWM-R1109-2k
WR-601218	Rectangle	60"	12"	18"	50	7.1	57" x 9"	59.5" x 11.5"	CWM-R1114-2k
WR-601236	Rectangle	60"	12"	36"	85	14.2	57" x 9"	59.5" x 11.5"	CWM-R1120-2k
WR-601818	Rectangle	60"	18"	18"	58	10.8	57" x 15"	59.5" x 17.5"	CWM-R1114-2k
WR-601824	Rectangle	60"	18"	24"	71	14.4	57" x 15"	59.5" x 17.5"	CWM-R1620-2k
WR-601830	Rectangle	60"	18"	30"	84	16.9	57" x 15"	59.5" x 17.5"	CWM-R2020-2k
WR-601836	Rectangle	60"	18"	36"	96	21.2	57" x 15"	59.5" x 17.5"	CWM-R2020-2k
WR-602418	Rectangle	60"	24"	18"	66	14.5	57" x 21"	59.5" x 23.5"	CWM-R2014-2k
WR-602424	Rectangle	60"	24"	24"	80	18.8	57" x 21"	59.5" x 23.5"	CWM-R2020-2k
WR-602430	Rectangle	60"	24"	30"	94	23.5	57" x 21"	59.5" x 23.5"	CWM-R2020-2k
WR-602436	Rectangle	60"	24"	36"	108	29.1	57" x 21"	59.5" x 23.5"	CWM-R2020-2k
WR-602442	Rectangle	60"	24"	42"	121	32.9	57" x 21"	59.5" x 23.5"	CWM-R2020-2k
WR-603018	Rectangle	60"	30"	18"	75	18.2	57" x 27"	59.5" x 29.5"	CWM-R2014-2k
WR-603024	Rectangle	60"	30"	24"	89	22.8	57" x 27"	59.5" x 29.5"	CWM-R2020-2k
WR-603030	Rectangle	60"	30"	30"	104	28.8	57" x 27"	59.5" x 29.5"	CWM-R2020-2k
WR-603036	Rectangle	60"	30"	36"	119	34.7	57" x 27"	59.5" x 29.5"	CWM-R2020-2k
WR-603042	Rectangle	60"	30"	42"	133	40.7	57" x 27"	59.5" x 29.5"	CWM-R2020-2k
WR-603618	Rectangle	60"	36"	18"	83	20.7	55" x 31"	59.5" x 35.5"	CWM-R2014-2k
WR-603624	Rectangle	60"	36"	24"	99	27.3	55" x 31"	59.5" x 35.5"	CWM-R2020-2k

Wilshire Planters FRP Rectangle & Square


- Lightweight fiberglass
- Available in three standard textures
- Huge range of sizes
- Drain holes upon request or installed in field



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WR-603630	Rectangle	60"	36"	30"	114	34.4	55" x 31"	59.5" x 35.5"	CWM-R2020-2k
WR-603636	Rectangle	60"	36"	36"	130	41.4	55" x 31"	59.5" x 35.5"	CWM-R2020-2k
WR-603642	Rectangle	60"	36"	42"	146	48.5	55" x 31"	59.5" x 35.5"	CWM-R2020-2k
WR-604818	Rectangle	60"	48"	18"	99	27.7	55" x 43"	59.5" x 47.5"	CWM-R2014-2k
WR-604824	Rectangle	60"	48"	24"	117	36.3	55" x 43"	59.5" x 47.5"	CWM-R2014-2k
WR-604830	Rectangle	60"	48"	30"	135	45.7	55" x 43"	59.5" x 47.5"	CWM-R2020-2k
WR-604836	Rectangle	60"	48"	36"	152	54.9	55" x 43"	59.5" x 47.5"	CWM-R2020-2k
WR-604842	Rectangle	60"	48"	42"	170	64.3	55" x 43"	59.5" x 47.5"	CWM-R2020-2k
WR-6000F	Square	60"	60"	42"	194	80	55" x 55"	55.5" x 55.5"	CWM-R2920-4k
WR-721012	Rectangle	72"	10"	12"	42	4.7	69" x 7"	71.5" x 9.5"	CWM-R1109-3k
WR-721218	Rectangle	72"	12"	18"	59	8.5	69" x 9"	71.5" x 11.5"	CWM-R1114-3k
WR-721236	Rectangle	72"	12"	36"	100	17	69" x 9"	71.5" x 11.5"	CWM-R1120-3k
WR-721818	Rectangle	72"	18"	18"	68	12.9	69" x 15"	71.5" x 17.5"	CWM-R1114-3k
WR-721824	Rectangle	72"	18"	24"	82	17.3	69" x 15"	71.5" x 17.5"	CWM-R1620-3k
WR-721830	Rectangle	72"	18"	30"	97	20.2	69" x 15"	71.5" x 17.5"	CWM-R1620-3k
WR-721836	Rectangle	72"	18"	36"	112	25.5	69" x 15"	71.5" x 17.5"	CWM-R1620-3k
WR-722418	Rectangle	72"	24"	18"	77	17.4	69" x 21"	71.5" x 23.5"	CWM-R1614-3k
WR-722424	Rectangle	72"	24"	24"	93	22.6	69" x 21"	71.5" x 23.5"	CWM-R1620-3k
WR-722430	Rectangle	72"	24"	30"	108	28.2	69" x 21"	71.5" x 23.5"	CWM-R1620-3k
WR-722436	Rectangle	72"	24"	36"	124	35	69" x 21"	71.5" x 23.5"	CWM-R1620-3k

Wilshire Planters FRP Rectangle & Square


- Lightweight fiberglass
- Available in three standard textures
- Huge range of sizes
- Drain holes upon request or installed in field



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WR-722442	Rectangle	72"	24"	42"	140	39.5	69" x 21"	71.5" x 23.5"	CWM-R1620-3k
WR-723018	Rectangle	72"	30"	18"	86	21.8	69" x 27"	71.5" x 29.5"	CWM-R1614-3k
WR-723024	Rectangle	72"	30"	24"	103	27.4	69" x 27"	71.5" x 29.5"	CWM-R1620-3k
WR-723030	Rectangle	72"	30"	30"	120	34.5	69" x 27"	71.5" x 29.5"	CWM-R1620-3k
WR-723036	Rectangle	72"	30"	36"	136	41.7	69" x 27"	71.5" x 29.5"	CWM-R1620-3k
WR-723042	Rectangle	72"	30"	42"	153	48.8	69" x 27"	71.5" x 29.5"	CWM-R1620-3k
WR-723618	Rectangle	72"	36"	18"	95	24.9	67" x 31"	71.5" x 35.5"	CWM-R1614-3k
WR-723624	Rectangle	72"	36"	24"	113	32.8	67" x 31"	71.5" x 35.5"	CWM-R1620-3k
WR-723630	Rectangle	72"	36"	30"	131	41.3	67" x 31"	71.5" x 35.5"	CWM-R1620-3k
WR-723636	Rectangle	72"	36"	36"	148	49.8	67" x 31"	71.5" x 35.5"	CWM-R1620-3k
WR-723642	Rectangle	72"	36"	42"	166	58.3	67" x 31"	71.5" x 35.5"	CWM-R1620-3k
WR-724818	Rectangle	72"	48"	18"	114	33.3	67" x 43"	71.5" x 47.5"	CWM-R1614-3k
WR-724824	Rectangle	72"	48"	24"	128	43.6	67" x 43"	71.5" x 47.5"	CWM-R1614-3k
WR-724830	Rectangle	72"	48"	30"	146	55	67" x 43"	71.5" x 47.5"	CWM-R1620-3k
WR-724836	Rectangle	72"	48"	36"	165	66.1	67" x 43"	71.5" x 47.5"	CWM-R1620-3k
WR-724842	Rectangle	72"	48"	42"	184	77.4	67" x 43"	71.5" x 47.5"	CWM-R1620-3k
WR-7200F	Square	72"	72"	42"	234	120	67" x 67"	67.5" x 67.5"	CWM-R2020-4k-E
WR-961012	Rectangle	96"	10"	12"	52	6.3	93" x 7"	95.5" x 9.5"	CWM-R1109-5k
WR-961218	Rectangle	96"	12"	18"	73	11.4	93" x 9"	95.5" x 11.5"	CWM-R1114-4k
WR-961236	Rectangle	96"	12"	36"	123	22.6	93" x 9"	95.5" x 11.5"	CWM-R1120-4k

Wilshire Planters FRP Rectangle & Square


- Lightweight fiberglass
- Available in three standard textures
- Huge range of sizes
- Drain holes upon request or installed in field



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WR-961818	Rectangle	96"	18"	18"	83	17.3	93" x 15"	95.5" x 17.5"	CWM-R1114-4k
WR-961824	Rectangle	96"	18"	24"	101	23.1	93" x 15"	95.5" x 17.5"	CWM-R1620-4k
WR-961830	Rectangle	96"	18"	30"	119	27	93" x 15"	95.5" x 17.5"	CWM-R1620-4k
WR-961836	Rectangle	96"	18"	36"	137	34	93" x 15"	95.5" x 17.5"	CWM-R1620-4k
WR-962418	Rectangle	96"	24"	18"	94	23.2	93" x 21"	95.5" x 23.5"	CWM-R1614-4k
WR-962424	Rectangle	96"	24"	24"	113	30.1	93" x 21"	95.5" x 23.5"	CWM-R1620-4k
WR-962430	Rectangle	96"	24"	30"	131	37.7	93" x 21"	95.5" x 23.5"	CWM-R1620-4k
WR-962436	Rectangle	96"	24"	36"	150	46.7	93" x 21"	95.5" x 23.5"	CWM-R1620-4k
WR-962442	Rectangle	96"	24"	42"	169	52.7	93" x 21"	95.5" x 23.5"	CWM-R1620-4k
WR-963018	Rectangle	96"	30"	18"	105	27.6	93" x 27"	95.5" x 29.5"	CWM-R1614-4k
WR-963024	Rectangle	96"	30"	24"	124	36.6	93" x 27"	95.5" x 29.5"	CWM-R1620-4k
WR-963030	Rectangle	96"	30"	30"	144	46.1	93" x 27"	95.5" x 29.5"	CWM-R1620-4k
WR-963036	Rectangle	96"	30"	36"	164	55.6	93" x 27"	95.5" x 29.5"	CWM-R1620-4k
WR-963042	Rectangle	96"	30"	42"	183	65.1	93" x 27"	95.5" x 29.5"	CWM-R1620-4k
WR-963618	Rectangle	96"	36"	18"	115	33.2	91" x 31"	95.5" x 35.5"	CWM-R1614-4k
WR-963624	Rectangle	96"	36"	24"	136	43.9	91" x 31"	95.5" x 35.5"	CWM-R1620-4k
WR-963630	Rectangle	96"	36"	30"	156	55.3	91" x 31"	95.5" x 35.5"	CWM-R1620-4k
WR-963636	Rectangle	96"	36"	36"	177	66.6	91" x 31"	95.5" x 35.5"	CWM-R1620-4k
WR-963642	Rectangle	96"	36"	42"	198	78	91" x 31"	95.5" x 35.5"	CWM-R1620-4k
WR-964818	Rectangle	96"	48"	18"	137	44.4	91" x 43"	95.5" x 47.5"	CWM-R1614-4k

Wilshire Planters FRP Rectangle & Square


- Lightweight fiberglass
- Available in three standard textures
- Huge range of sizes
- Drain holes upon request or installed in field



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WR-964824	Rectangle	96"	48"	24"	159	58.4	91" x 43"	95.5" x 47.5"	CWM-R1614-4k
WR-964830	Rectangle	96"	48"	30"	182	73.6	91" x 43"	95.5" x 47.5"	CWM-R1620-4k
WR-964836	Rectangle	96"	48"	36"	204	88.5	91" x 43"	95.5" x 47.5"	CWM-R1620-4k
WR-964842	Rectangle	96"	48"	42"	227	103.7	91" x 43"	95.5" x 47.5"	CWM-R1620-4k
WR-1201012	Rectangle	120"	10"	12"	65	7.8	117" x 7"	119.5" x 9.5"	CWM-R1109-5k
WR-1201218	Rectangle	120"	12"	18"	89	14.3	117" x 9"	119.5" x 11.5"	CWM-R1114-5k
WR-1201236	Rectangle	120"	12"	36"	151	28.4	117" x 9"	119.5" x 11.5"	CWM-R1120-5k
WR-1201818	Rectangle	120"	18"	18"	102	21.6	117" x 15"	119.5" x 17.5"	CWM-R1114-4k/5k or CWM-R1614-4k/5k
WR-1201824	Rectangle	120"	18"	24"	123	28.9	117" x 15"	119.5" x 17.5"	CWM-R1620-5k
WR-1201830	Rectangle	120"	18"	30"	145	33.7	117" x 15"	119.5" x 17.5"	CWM-R1620-5k
WR-1201836	Rectangle	120"	18"	36"	166	42.6	117" x 15"	119.5" x 17.5"	CWM-R1620-5k
WR-1202418	Rectangle	120"	24"	18"	114	29	117" x 21"	119.5" x 23.5"	CWM-R1614-5k
WR-1202424	Rectangle	120"	24"	24"	137	37.7	117" x 21"	119.5" x 23.5"	CWM-R1620-5k
WR-1202430	Rectangle	120"	24"	30"	159	47.1	117" x 21"	119.5" x 23.5"	CWM-R1620-5k
WR-1202436	Rectangle	120"	24"	36"	182	58.4	117" x 21"	119.5" x 23.5"	CWM-R1620-5k
WR-1202442	Rectangle	120"	24"	42"	204	65.9	117" x 21"	119.5" x 23.5"	CWM-R1620-5k
WR-1202424	Rectangle	120"	24"	24"	137	37.7	117" x 21"	119.5" x 23.5"	CWM-R1620-5k
WR-1203018	Rectangle	120"	30"	18"	127	35.6	117" x 27"	119.5" x 29.5"	CWM-R1614-5k
WR-1203024	Rectangle	120"	30"	24"	150	45.7	117" x 27"	119.5" x 29.5"	CWM-R1620-5k
WR-1203030	Rectangle	120"	30"	30"	173	57.6	117" x 27"	119.5" x 29.5"	CWM-R1620-5k

Wilshire Planters FRP Rectangle & Square

- Lightweight fiberglass
- Available in three standard textures
- Huge range of sizes
- Drain holes upon request or installed in field



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WR-1203036	Rectangle	120"	30"	36"	197	69.5	117" x 27"	119.5" x 29.5"	CWM-R1620-5k
WR-1203042	Rectangle	120"	30"	42"	220	81.4	117" x 27"	119.5" x 29.5"	CWM-R1620-5k
WR-1203618	Rectangle	120"	36"	18"	139	41.6	115" x 31"	119.5" x 35.5"	CWM-R1614-5k
WR-1203624	Rectangle	120"	36"	24"	164	54.9	115" x 31"	119.5" x 35.5"	CWM-R1620-5k
WR-1203630	Rectangle	120"	36"	30"	188	69.2	115" x 31"	119.5" x 35.5"	CWM-R1620-5k
WR-1203636	Rectangle	120"	36"	36"	212	83.5	115" x 31"	119.5" x 35.5"	CWM-R1620-5k
WR-1203642	Rectangle	120"	36"	42"	237	97.7	115" x 31"	119.5" x 35.5"	CWM-R1620-5k




Wilshire Planters FRP Round

The addition of glass fibers turns ordinary resin into a superhero! The Wilshire Planters made from FRP are the lightest among the collection yet can retain moisture-laden soil without deforming. Surface-applied textures add scratch-resistance and are available in stock or custom colors. Available in 18 colors and three textures.

Wilshire Planters, FRP Round


WILSHIRE PLANTERS, FRP ROUND




Round

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire



Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round




Round with Toe Kick

OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Change Dimension



Casters



TourneSeal



Drain Holes



Matching Saucer



False Bottom



Tie Downs



Bottom Reinforcement




Lift Channels



Custom Color

Wilshire Planters FRP Round

- Lightweight fiberglass
- Available in three standard textures
- Drain holes upon request or installed in field



PRODUCT	SHAPE	DIA.	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WS-1800F	Round	18" dia	20"	19	2.5	15" dia	14.5" dia	CWC-1216
WS-2400F	Round	24" dia	24"	31	6	21" dia	20.5" dia	CWC-1600/CWM-1114-2k
WS-3000F	Round	30" dia	27"	44	11	27" dia	25.5" dia	CWC-2400/CWM-1720-2k
WS-3600F	Round	36" dia	30"	59	17	31.5" dia	31.5" dia	CWC-2800/CWM-1720-3k
WS-4200F	Round	42" dia	33"	77	26	37.5" dia	37.5" dia	CWC-3300/CWM-1720-3k
WS-4800F	Round	48" dia	36"	96	35.5	43.5" dia	43.5" dia	CWM-2920-3k
WS-6000F	Round	60" dia	36"	128	55.5	55.5" dia	55.5" dia	CWM-2920-4k
WS-7200F	Round	72" dia	42"	180	94.5	67" dia	67.5" dia	CWM-2920-5k




Wilshire Planters FRP Square with Toe Kick

The addition of glass fibers turns ordinary resin into a superhero! The Wilshire Planters made from FRP are the lightest among the collection yet can retain moisture-laden soil without deforming. Surface-applied textures add scratch-resistance and are available in stock or custom colors. Available in 18 colors and three textures.

Wilshire Planters, FRP Square with Toe Kick


WILSHIRE PLANTERS, FRP SQUARE WITH TOE KICK




Square with Toe Kick

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round




Round with Toe Kick

OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.




Irrigation



Change Dimension



Accessory Pockets



Scoops



Tourneseal



Drain Holes




Matching Saucer



Custom Color

Wilshire Planters FRP Square with Toe Kick

- Lightweight fiberglass
- Available in three standard textures
- Toe kick visually lifts planter
- Toe kick can accommodate lighting
- Drain holes upon request or installed in field



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WR-1800	Toe Kick Square	18"	18"	20"	26	3.4	15" x 15"	14.5" x 14.5"	CWC-R1300
WRT-1800	Toe Kick Square	18"	18"	30"	36	5.1	15" x 15"	17.5" x 17.5"	CWC-R1100
WR-2400	Toe Kick Square	24"	24"	24"	42	8	21" x 21"	20.5" x 20.5"	CWC-R1850/CWM-R1114-2k
WRT-2400	Toe Kick Square	24"	24"	48"	72	15.1	21" x 21"	23.5" x 23.5"	CWC-R1850
WR-3000	Toe Kick Square	30"	30"	27"	59	14	27" x 27"	25.5" x 25.5"	CWM-R1620-2k
WRT-3000	Toe Kick Square	30"	30"	54"	103	26.6	27" x 27"	29.5" x 29.5"	CWM-R1620-2k-CRT
WR-3600	Toe Kick Square	36"	36"	30"	80	22	31" x 31"	31.5" x 31.5"	CWM-R1620-2k
WR-4200	Toe Kick Square	42"	42"	36"	110	37	37" x 37"	43.5" x 43.5"	CWM-1720-4K
WR-4824	Toe Kick Square	48"	48"	24"	79	29	43" x 43"	43.5" x 43.5"	CWM-R2914-2k
WR-4800	Toe Kick Square	48"	48"	36"	130	48	43" x 43"	43.5" x 43.5"	CWM-R2920-2k
WR-6000	Toe Kick Square	60"	60"	42"	186	80	55" x 55"	55.5" x 55.5"	CWM-R2920-4k
WR-7200	Toe Kick Square	72"	72"	42"	234	120	67" x 67"	67.5" x 67.5"	CWM-R2020-4k-E




Wilshire Planters FRP Round with Toe Kick

The addition of glass fibers turns ordinary resin into a superhero! The Wilshire Planters made from FRP are the lightest among the collection yet can retain moisture-laden soil without deforming. Surface-applied textures add scratch-resistance and are available in stock or custom colors. Available in 18 colors and three textures.

Wilshire Planters, FRP Round with Toe Kick


WILSHIRE PLANTERS, FRP ROUND WITH TOE KICK




Round with Toe Kick

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round




Round with Toe Kick

OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Change Dimension



TourneSeal



Drain Holes




Matching Saucer



Custom Color

Wilshire Planters FRP Round with Toe Kick

- Lightweight fiberglass
- Available in three standard textures
- Toe kick visually lifts planter
- Toe kick can accommodate lighting
- Drain holes upon request or installed in field



PRODUCT	SHAPE	DIA.	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WS-1800	Toe Kick Round	18" dia	20"	19	2.5	15" dia	14.5" dia	CWC-1216
WST-1800	Toe Kick Round	18" dia	30"	26	4.1	15" x 15"	17.5" x 17.5"	CWI-1200
WS-2400	Toe Kick Round	24" dia	24"	31	6	21" dia	20.5" dia	CWC-1600/CWM-1114-2k
WST-2400	Toe Kick Round	24" dia	48"	54	11.9	21" x 21"	23.5" x 23.5"	CWI-1700
WS-3000	Toe Kick Round	30" dia	27"	44	11	27" dia	25.5" dia	CWC-2400/CWM-1720-2k
WST-3000	Toe Kick Round	30" dia	54"	77	21	27" x 27"	29.5" x 29.5"	CWI-2200
WS-3600	Toe Kick Round	36" dia	30"	59	17	31.5" dia	31.5" dia	CWC-2800/CWM-1720-3k
WS-4200	Toe Kick Round	42" dia	33"	77	26	37.5" dia	37.5" dia	CWC-3300/CWM-1720-3k
WS-4800	Toe Kick Round	48" dia	36"	96	35.5	43.5" dia	43.5" dia	CWM-2920-3k`
WS-6000	Toe Kick Round	60" dia	36"	128	55.5	55.5" dia	55.5" dia	CWM-2920-4k
WS-7200	Toe Kick Round	72" dia	42"	180	94.5	67" dia	67.5" dia	CWM-2920-5k




Wilshire Planters FRP with Greenscreen® Trellis

An attractive, easy-to-install solution for creating privacy or hiding unattractive elements like building systems. Our lightweight FRP Fiberglass planter (available in all colors and textures) and Greenscreen® trellis, framed on top and sides, with vertical supports to fit in planter lip. Trellis available in various powder-coat colors.

Wilshire Planters, FRP with Greenscreen® Trellis


WILSHIRE PLANTERS FRP WITH GREENSCREEN® TRELLIS




Planter with Trellis

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round




Round with Toe Kick

OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Change Dimension



Accessory Pockets



TourneSeal



Drain Holes




Matching Saucer



Custom Color

Wilshire Planters, FRP with Greenscreen® Trellis

- Durable, lightweight FRP planter with powder-coated Greenscreen® trellis. 2"W x 2"L x 3"D grid.
- Trellis vertical supports fit into planter lip and are secured with discrete stainless-steel fasteners.
- Trellis is framed on top and sides and extends to planter edge so adjacent planters form a seamless trellis wall.
- Select a Greenscreen Trellis color in addition to a FRP color and texture. Drain holes available upon request.



* Add "-X" after product number to indicate optional offset mounting.

PRODUCT	LENGTH	WIDTH	HEIGHT OF PLANTER	TOTAL HEIGHT WITH TRELLIS	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	IRRIGATION
WX2-481824-74	48"	18"	24"	74"	101	11.5	CWM-R1620-2k
WX2-481830-80	48"	18"	30"	80"	111	17.3	CWM-R1620-2k
WX2-481836-86	48"	18"	36"	86"	122	23.1	CWM-R1620-2k
WX2-482424-74	48"	24"	24"	74"	109	13.5	CWM-R1620-2k
WX2-482430-80	48"	24"	30"	80"	121	20.2	CWM-R1620-2k
WX2-482436-86	48"	24"	36"	86"	132	27	CWM-R1620-2k
WX2-721824-74	72"	18"	24"	74"	133	13.5	CWM-R1620-3k
WX2-721830-80	72"	18"	30"	80"	148	25.5	CWM-R1620-3k
WX2-721836-86	48"	18"	36"	86"	122	34	CWM-R1620-3k
WX2-722424-74	72"	24"	24"	74"	144	15	CWM-R1620-3k
WX2-722430-80	72"	24"	30"	80"	159	22.6	CWM-R1620-3k
WX2-722436-86	72"	24"	36"	86"	175	30.1	CWM-R1620-3k
WX2-961824-74	96"	18"	24"	74"	166	18.8	CWM-R1620-4k
WX2-961830-80	96"	18"	30"	80"	185	28.2	CWM-R1620-3k
WX2-961836-86	96"	18"	36"	86"	203	37.7	CWM-R1620-4k
WX2-962424-74	96"	24"	24"	74"	178	23.3	CWM-R1620-4k
WX2-962430-80	96"	24"	30"	80"	198	35	CWM-R1620-4k
WX2-962436-86	96"	24"	36"	86"	218	46.7	CWM-R1620-4k




Wilshire Planters FRP with Laser-Cut Screen

An attractive, easy-to-install solution for creating privacy or hiding unattractive elements such as building systems. Available in lightweight GFRC concrete or FRP Fiberglass in all colors and textures. Steel laser-cut screen is available in all powder-coat finishes.

Wilshire Planters, FRP with Laser-Cut Screen


WILSHIRE PLANTERS FRP WITH LASER-CUT SCREEN




Planter with Laser-Cut Screen
Screen Patterns on the following page.

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round




Round with Toe Kick

OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Change Dimension



Accessory Pockets



Tourneseal



Drain Holes



Matching Saucer



Custom Color

Wilshire Planters FRP with Laser-Cut Screen

Select one of the patterns shown at right or submit your own artwork.

Available in powder-coated or weathering steel.

Shown at right in 48"L x 48"H




48"L x 48"H

**WX-48 INCLUDES ONE
48" L x 48" H LASER-CUT SCREEN.**




72"L x 48"H

**WX-72 INCLUDES ONE
72" L x 48" H LASER-CUT SCREEN.**




96"L x 48"H


**WX-96 INCLUDES ONE
96" L x 48" H LASER-CUT SCREEN.**




Pattern 2




Pattern 3




Pattern 4



Pattern 6



Pattern 7




Pattern 8

CUSTOM PATTERN OPTIONS


Part No.	Description
WXS-LC	Custom laser-cut screen charge, varies by design and size
WXS Setup CAD	One-time setup charge for laser-cut screens, customer to provide CAD drawings
WXS Setup PDF	One-time setup charge for laser-cut screens, customer to provide PDF drawings

Wilshire Planters FRP with Laser-Cut Screen

- Lightweight fiberglass
- Integrated privacy screen
- Custom screen designs possible
- Hidden support brackets
- Drain holes upon request or installed in field



PRODUCT	LENGTH	WIDTH	HEIGHT OF PLANTER	TOTAL HEIGHT WITH SCREEN	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	IRRIGATION	LASER-CUT SCREEN
WX-481824-78	48"	18"	24"	78"	144	12	CWM-R1620-2k	Options on following page
WX-481836-90	48"	18"	36"	90"	165	12	CWM-R1620-2k	Options on following page
WX-482424-78	48"	24"	24"	78"	152	16	CWM-R1620-2k	Options on following page
WX-721824-78	72"	18"	24"	78"	192	18	CWM-R1620-3k	Options on following page
WX-722424-78	72"	24"	24"	78"	202	24	CWM-R1620-3k	Options on following page
WX-721836-90	72"	18"	36"	90"	221	18	CWM-R1620-3k	Options on following page
WX-961824-78	96"	18"	24"	78"	240	22	CWM-R1620-4k	Call for information
WX-961836-90	96"	18"	36"	90"	276	24	CWM-R1620-4k	Call for information
WX-962424-78	96"	24"	24"	78"	252	30	CWM-R1620-4k	Call for information




Wilshire Planters FRP Hanging Box

With a lightweight fiberglass planter, pre-engineered brackets, and easy-to-use mount template, we have a complete hanging box system for you! These planter boxes are the ultimate wall-mounted large planter solution.

Wilshire Planters, FRP Hanging Box


WILSHIRE PLANTERS, FRP HANGING BOX




Hanging Box

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire



Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round




Round with Toe Kick

OPTIONS


Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Change Dimension




TourneSeal



Drain Holes


Wilshire Planters FRP Hanging Box

- Tournesol's original commercial hanging box system
- Engineered for facade installation
- Designed for easy mounting & structural integrity
- Reinforced lightweight FRP planter
- Powder-coated steel brackets
- Stainless steel mounting studs
- In production for 20 years, thousands of units installed
- Anchoring hardware not included and is at the discretion of the contractor or project engineer
- Aluminum anchor templates are available
- Works well with our irrigation modules for low maintenance.



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	NUMBER OF BULKHEADS	NUMBER OF BRACKETS	IRRIGATION
WB-1012-24	Rectangle	24"	10"	12"	35 lbs	1.6 cu. ft.	0	2	CWM-R1109-MS
WB-1218-24	Rectangle	24"	12"	18"	46 lbs	3 cu. ft.	0	2	CWM-R1114-MS
WB-1824-24	Rectangle	24"	18"	24"	62 lbs	6 cu. ft.	0	2	CWM-R2020-MS
WB-1012-36	Rectangle	36"	10"	12"	40 lbs	2.5 cu. ft.	0	2	CWM-R1109-2k
WB-1218-36	Rectangle	36"	12"	18"	56 lbs	4.5 cu. ft.	0	2	CWM-R1114-2k
WB-1824-36	Rectangle	36"	18"	24"	72 lbs	9 cu. ft.	0	2	CWM-R2020-MS
WB-1012-48	Rectangle	48"	10"	12"	45 lbs	3.3 cu. ft.	0	2	CWM-R1109-3k
WB-1218-48	Rectangle	48"	12"	18"	61 lbs	6 cu. ft.	1	2	CWM-R1114-3k
WB-1824-48	Rectangle	48"	18"	24"	82 lbs	12 cu. ft.	1	2	CWM-R1620-2k
WB-1012-60	Rectangle	60"	10"	12"	50 lbs	4.2 cu. ft.	2	3	CWM-R1109-3k
WB-1218-60	Rectangle	60"	12"	18"	80 lbs	7.5 cu. ft.	2	3	CWM-R1114-3k
WB-1824-60	Rectangle	60"	18"	24"	108 lbs	15 cu. ft.	1	3	CWM-R1620-2k

Wilshire Planters FRP Hanging Box



- Tournesol's original commercial hanging box system
- Engineered for facade installation
- Designed for easy mounting & structural integrity
- Reinforced lightweight FRP planter
- Powder-coated steel brackets
- Stainless steel mounting studs
- In production for 20 years, thousands of units installed
- Anchoring hardware not included and is at the discretion of the contractor or project engineer
- Aluminum anchor templates are available
- Works well with our irrigation modules for low maintenance.

PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	NUMBER OF BULKHEADS	NUMBER OF BRACKETS	IRRIGATION
WB-1012-72	Rectangle	72"	10"	12"	55 lbs	5 cu. ft.	2	3	CWM-R1109-4k
WB-1218-72	Rectangle	72"	12"	18"	90 lbs	9 cu. ft.	2	3	CWM-R1114-4k
WB-1824-72	Rectangle	72"	18"	24"	118 lbs	18 cu. ft.	2	3	CWM-R1620-3k
WB-1012-96	Rectangle	96"	10"	12"	85 lbs	6.7 cu. ft.	2	4	CWM-R1109-5k
WB-1218-96	Rectangle	96"	12"	18"	125 lbs	12 cu. ft.	2	4	CWM-R1114-5k
WB-1824-96	Rectangle	96"	18"	24"	154 lbs	24 cu. ft.	3	4	CWM-R1620-4k
WB-1012-120	Rectangle	120"	10"	12"	105 lbs	8.3 cu. ft.	3	5	CWM-R1109-3k + CWM-R1109-4k
WB-1218-120	Rectangle	120"	12"	18"	148 lbs	15 cu. ft.	4	5	CWM-R1114-3k + CWM-R1114-4k
WB-1824-120	Rectangle	120"	18"	24"	190 lbs	30 cu. ft.	4	5	CWM-R1620-5k

HANGING BOX TEMPLATE

Aluminum and plastic template assists in correct placement of anchor holes.

PRODUCT	DESCRIPTION
WBT-1012-XX	Drilling template for -1012 size Wilshire Box. Order by length (XX=# of inches) - Aluminum and plastic.
WBT-1218-XX	Drilling template for -1218 size Wilshire Box. Order by length (XX=# of inches) - Aluminum and plastic.
WBT-1824-XX	Drilling template for -1824 size Wilshire Box. Order by length (XX=# of inches) - Aluminum and plastic.




Wilshire Planters Aluminum Rectangle & Square

Wilshire planters, our most popular collection, are available in powder-coated marine-grade aluminum.


Wilshire Powder-Coated Aluminum Planters are an environmentally friendly solution. Welded stiffeners and FEA are used to produce planters with the strength of steel but 40-60% of the weight.

Wilshire Planters, Aluminum Rectangle & Square

WILSHIRE PLANTERS, ALUMINUM RECTANGLES & SQUARES




Rectangle




Square

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round




Round with Toe Kick

OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Change Dimension



Accessory Pockets



Scoops



Casters



Tourneseal




Drain Holes



Toe Kick



False Bottom



Tie Downs


Wilshire Planters, Aluminum Rectangle & Square

POWDER-COATED ALUMINUM

Following fabrication, Wilshire Aluminum Planters are dry steam washed and pretreated with a closed loop, environmentally friendly zirconium solution before a zinc-free epoxy primer and AAMA 2604 polyester powder-coat is applied.


TOP LIP

Wilshire Planters in Steel and Aluminum come with a standard lip return.



BASE OPTION

Wilshire Planters are available with a toe kick option. Steel planters are available with a stainless steel base that inhibits rust where moisture pools. Aluminum Planters are fully welded.




Toe kick option
2"H bottom reveal

DRAINAGE

Drain Holes: Standard drain holes are 1-5/8" diameter, made free-of-charge at the factory.

Wilshire Planters Aluminum Rectangle & Square


- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL1800	Square	18"	18"	20"	29	3.4	15" x 15"	14.5" x 14.5"	CWC-R1300
WVRT-AL1800	Square Tall	18"	18"	30"	35	5.1	15" x 15"	17.5" x 17.5"	CWC-R1100
WWR-AL241012	Rectangle	24"	10"	12"	16	1.5	21" x 7"	23.5" x 9.5"	CWM-R1109-MS
WWR-AL241218	Rectangle	24"	12"	18"	21	2.8	21" x 9"	23.5" x 11.5"	CWM-R1114-MS
WWR-AL241236	Rectangle	24"	12"	36"	43	5.6	21" x 9"	23.5" x 11.5"	CWM-R1120-MS
WWR-AL241818	Rectangle	24"	18"	18"	24	4.3	21" x 15"	23.5" x 17.5"	CWM-R1114-MS
WWR-AL241824	Rectangle	24"	18"	24"	38	5.7	21" x 15"	23.5" x 17.5"	CWM-R1620-MS
WWR-AL241830	Rectangle	24"	18"	30"	44	7	21" x 15"	23.5" x 17.5"	CWM-R1620-MS
WWR-AL241836	Rectangle	24"	18"	36"	50	8.4	21" x 15"	23.5" x 17.5"	CWM-R1620-MS
WWR-AL242418	Square	24"	24"	18"	37	5.7	21" x 21"	23.5" x 23.5"	CWM-R1614-MS
WWR-AL2400	Square	24"	24"	24"	44	8	21" x 21"	20.5" x 20.5"	CWC-R1850/CWM-R1114-2k
WVRT-AL2400	Square Tall	24"	24"	48"	51	15.1	21" x 21"	23.5" x 23.5"	CWC-R1850
WWR-AL3000	Square	30"	30"	27"	61	14	27" x 27"	25.5" x 25.5"	CWM-R1620-2k
WVRT-AL3000	Square Tall	30"	30"	54"	71	26.6	27" x 27"	29.5" x 29.5"	CWM-R1620-2k-CRT
WWR-AL361012	Rectangle	36"	10"	12"	20	2.3	33" x 7"	35.5" x 9.5"	CWM-R1109-2k
WWR-AL361218	Rectangle	36"	12"	18"	35	4.3	33" x 9"	35.5" x 11.5"	CWM-R1114-2k
WWR-AL361236	Rectangle	36"	12"	36"	56	8.5	33" x 9"	35.5" x 11.5"	CWM-R1120-2k
WWR-AL361818	Rectangle	36"	18"	18"	41	6.5	33" x 15"	35.5" x 17.5"	CWM-R1114-2k
WWR-AL361824	Rectangle	36"	18"	24"	49	8.6	33" x 15"	35.5" x 17.5"	CWM-R2020-MS
WWR-AL361830	Rectangle	36"	18"	30"	57	10.5	33" x 15"	35.5" x 17.5"	CWM-R2020-MS

Wilshire Planters Aluminum Rectangle & Square


- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL361836	Rectangle	36"	18"	36"	65	12.7	33" x 15"	35.5" x 17.5"	CWM-R2020-MS
WWR-AL362418	Rectangle	36"	24"	18"	47	8.7	33" x 21"	35.5" x 23.5"	CWM-R2014-MS
WWR-AL362424	Rectangle	36"	24"	24"	56	11.6	33" x 21"	35.5" x 23.5"	CWM-R2920-MS
WWR-AL362430	Rectangle	36"	24"	30"	65	14.1	33" x 21"	35.5" x 23.5"	CWM-R2920-MS
WWR-AL362436	Rectangle	36"	24"	36"	73	17.4	33" x 21"	35.5" x 23.5"	CWM-R2920-MS
WWR-AL362442	Rectangle	36"	24"	42"	82	19.7	33" x 21"	35.5" x 23.5"	CWM-R2920-MS
WWR-AL363018	Rectangle	36"	30"	18"	53	10.9	33" x 27"	35.5" x 29.5"	CWM-R2914-MS
WWR-AL363024	Rectangle	36"	30"	24"	62	13.7	33" x 27"	35.5" x 29.5"	CWM-R2920-MS
WWR-AL363030	Rectangle	36"	30"	30"	72	17.3	33" x 27"	35.5" x 29.5"	CWM-R2920-MS
WWR-AL363036	Rectangle	36"	30"	36"	82	20.8	33" x 27"	35.5" x 29.5"	CWM-R2920-MS
WWR-AL363042	Rectangle	36"	30"	42"	92	24.4	33" x 27"	35.5" x 29.5"	CWM-R2920-MS
WWR-AL363618	Square	36"	36"	18"	59	12.4	31" x 31"	35.5" x 35.5"	CWM-R1114-2k
WWR-AL363624	Square	36"	36"	24"	69	16.2	31" x 31"	35.5" x 35.5"	CWM-R1120-2k
WWR-AL363600	Square	36"	36"	30"	80	22	31" x 31"	35.5" x 35.5"	CWM-R1620-2k
WWR-AL363636	Square	36"	36"	36"	90	24.6	31" x 31"	35.5" x 35.5"	CWM-R1120-2k
WWR-AL363642	Square	36"	36"	42"	116	28.8	31" x 31"	35.5" x 35.5"	CWM-R1120-2k
WWR-AL4200	Square	42"	42"	36"	95	37	37" x 37"	43.5" x 43.5"	CWM-1720-4K
WWR-AL481012	Rectangle	48"	10"	12"	25	3.1	45" x 7"	47.5" x 9.5"	CWM-R1109-2k
WWR-AL481218	Rectangle	48"	12"	18"	39	5.7	45" x 9"	47.5" x 11.5"	CWM-R1114-2k
WWR-AL481236	Rectangle	48"	12"	36"	50	11.3	45" x 9"	47.5" x 11.5"	CWM-R1120-2k

Wilshire Planters Aluminum Rectangle & Square


- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL481818	Rectangle	48"	18"	18"	50	8.6	45" x 15"	47.5" x 17.5"	CWM-R1114-2k
WWR-AL481824	Rectangle	48"	18"	24"	60	11.5	45" x 15"	47.5" x 17.5"	CWM-R1620-2k
WWR-AL481830	Rectangle	48"	18"	30"	80	13.5	45" x 15"	47.5" x 17.5"	CWM-R1620-2k
WWR-AL481836	Rectangle	48"	18"	36"	89	17	45" x 15"	47.5" x 17.5"	CWM-R1620-2k
WWR-AL482418	Rectangle	48"	24"	18"	60	11.5	45" x 21"	47.5" x 23.5"	CWM-R1614-2k
WWR-AL482424	Rectangle	48"	24"	24"	67	15	45" x 21"	47.5" x 23.5"	CWM-R1620-2k
WWR-AL482430	Rectangle	48"	24"	30"	78	18.8	45" x 21"	47.5" x 23.5"	CWM-R1620-2k
WWR-AL482436	Rectangle	48"	24"	36"	99	23.3	45" x 21"	47.5" x 23.5"	CWM-R1620-2k
WWR-AL482442	Rectangle	48"	24"	42"	109	26.3	45" x 21"	47.5" x 23.5"	CWM-R1620-2k
WWR-AL483018	Rectangle	48"	30"	18"	64	14.5	45" x 27"	47.5" x 29.5"	CWM-R1614-2k
WWR-AL483024	Rectangle	48"	30"	24"	85	18.3	45" x 27"	47.5" x 29.5"	CWM-R1620-2k
WWR-AL483030	Rectangle	48"	30"	30"	97	23	45" x 27"	47.5" x 29.5"	CWM-R1620-2k
WWR-AL483036	Rectangle	48"	30"	36"	108	27.8	45" x 27"	47.5" x 29.5"	CWM-R1620-2k
WWR-AL483042	Rectangle	48"	30"	42"	125	32.5	45" x 27"	47.5" x 29.5"	CWM-R1620-2k
WWR-AL483618	Rectangle	48"	36"	18"	70	16.6	43" x 31"	47.5" x 35.5"	CWM-R1614-2k
WWR-AL483624	Rectangle	48"	36"	24"	93	21.7	43" x 31"	47.5" x 35.5"	CWM-R1620-2k
WWR-AL483630	Rectangle	48"	36"	30"	105	27.4	43" x 31"	47.5" x 35.5"	CWM-R1620-2k
WWR-AL483636	Rectangle	48"	36"	36"	123	33	43" x 31"	47.5" x 35.5"	CWM-R1620-2k
WWR-AL483642	Rectangle	48"	36"	42"	137	38.6	43" x 31"	47.5" x 35.5"	CWM-R1620-2k
WWR-AL484818	Rectangle	48"	48"	18"	84	22.1	43" x 43"	47.5" x 47.5"	CWM-R1614-2k

Wilshire Planters Aluminum Rectangle & Square


- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL4824	Square	48"	48"	24"	98	29	43" x 43"	43.5" x 43.5"	CWM-R2914-2k
WWR-AL484830	Square	48"	48"	30"	132	36.3	43" x 43"	47.5" x 47.5"	CWM-R1620-2k
WWR-AL4800	Square	48"	48"	36"	146	48	43" x 43"	43.5" x 43.5"	CWM-R2920-2k
WWR-AL484842	Square	48"	48"	42"	161	51.1	43" x 43"	47.5" x 47.5"	CWM-R1620-2k
WWR-AL601012	Rectangle	60"	10"	12"	39	3.9	57" x 7"	59.5" x 9.5"	CWM-R1109-2k
WWR-AL601218	Rectangle	60"	12"	18"	52	7.1	57" x 9"	59.5" x 11.5"	CWM-R1114-2k
WWR-AL601236	Rectangle	60"	12"	36"	96	14.2	57" x 9"	59.5" x 11.5"	CWM-R1120-2k
WWR-AL601818	Rectangle	60"	18"	18"	59	10.8	57" x 15"	59.5" x 17.5"	CWM-R1114-2k
WWR-AL601824	Rectangle	60"	18"	24"	74	14.4	57" x 15"	59.5" x 17.5"	CWM-R1620-2k
WWR-AL601830	Rectangle	60"	18"	30"	95	16.9	57" x 15"	59.5" x 17.5"	CWM-R2020-2k
WWR-AL601836	Rectangle	60"	18"	36"	106	21.2	57" x 15"	59.5" x 17.5"	CWM-R2020-2k
WWR-AL602418	Rectangle	60"	24"	18"	67	14.5	57" x 21"	59.5" x 23.5"	CWM-R2014-2k
WWR-AL602424	Rectangle	60"	24"	24"	92	18.8	57" x 21"	59.5" x 23.5"	CWM-R2020-2k
WWR-AL602430	Rectangle	60"	24"	30"	104	23.5	57" x 21"	59.5" x 23.5"	CWM-R2020-2k
WWR-AL602436	Rectangle	60"	24"	36"	122	29.1	57" x 21"	59.5" x 23.5"	CWM-R2020-2k
WWR-AL602442	Rectangle	60"	24"	42"	135	32.9	57" x 21"	59.5" x 23.5"	CWM-R2020-2k
WWR-AL603018	Rectangle	60"	30"	18"	74	18.2	57" x 27"	59.5" x 29.5"	CWM-R2014-2k
WWR-AL603024	Rectangle	60"	30"	24"	100	22.8	57" x 27"	59.5" x 29.5"	CWM-R2020-2k
WWR-AL603030	Rectangle	60"	30"	30"	118	28.8	57" x 27"	59.5" x 29.5"	CWM-R2020-2k
WWR-AL603036	Rectangle	60"	30"	36"	132	34.7	57" x 27"	59.5" x 29.5"	CWM-R2020-2k

Wilshire Planters Aluminum Rectangle & Square


- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL603042	Rectangle	60"	30"	42"	146	40.7	57" x 27"	59.5" x 29.5"	CWM-R2020-2k
WWR-AL603618	Rectangle	60"	36"	18"	82	20.7	55" x 31"	59.5" x 35.5"	CWM-R2014-2k
WWR-AL603624	Rectangle	60"	36"	24"	109	27.3	55" x 31"	59.5" x 35.5"	CWM-R2020-2k
WWR-AL603630	Rectangle	60"	36"	30"	123	34.4	55" x 31"	59.5" x 35.5"	CWM-R2020-2k
WWR-AL603636	Rectangle	60"	36"	36"	142	41.4	55" x 31"	59.5" x 35.5"	CWM-R2020-2k
WWR-AL603642	Rectangle	60"	36"	42"	157	48.5	55" x 31"	59.5" x 35.5"	CWM-R2020-2k
WWR-AL604818	Rectangle	60"	48"	18"	102	27.7	55" x 43"	59.5" x 47.5"	CWM-R2014-2k
WWR-AL604824	Rectangle	60"	48"	24"	129	36.3	55" x 43"	59.5" x 47.5"	CWM-R2014-2k
WWR-AL604830	Rectangle	60"	48"	30"	152	45.7	55" x 43"	59.5" x 47.5"	CWM-R2020-2k
WWR-AL604836	Rectangle	60"	48"	36"	173	54.9	55" x 43"	59.5" x 47.5"	CWM-R2020-2k
WWR-AL604842	Rectangle	60"	48"	42"	190	64.3	55" x 43"	59.5" x 47.5"	CWM-R2020-2k
WWR-AL6000	Square	60"	60"	42"	234	80	55" x 55"	55.5" x 55.5"	CWM-R2920-4k
WWR-AL721012	Rectangle	72"	10"	12"	45	4.7	69" x 7"	71.5" x 9.5"	CWM-R1109-3k
WWR-AL721218	Rectangle	72"	12"	18"	62	8.5	69" x 9"	71.5" x 11.5"	CWM-R1114-3k
WWR-AL721236	Rectangle	72"	12"	36"	112	17	69" x 9"	71.5" x 11.5"	CWM-R1120-3k
WWR-AL721818	Rectangle	72"	18"	18"	68	12.9	69" x 15"	71.5" x 17.5"	CWM-R1114-3k
WWR-AL721824	Rectangle	72"	18"	24"	97	17.3	69" x 15"	71.5" x 17.5"	CWM-R1620-3k
WWR-AL721830	Rectangle	72"	18"	30"	114	20.2	69" x 15"	71.5" x 17.5"	CWM-R1620-3k
WWR-AL721836	Rectangle	72"	18"	36"	123	25.5	69" x 15"	71.5" x 17.5"	CWM-R1620-3k
WWR-AL722418	Rectangle	72"	24"	18"	79	17.4	69" x 21"	71.5" x 23.5"	CWM-R1614-3k

Wilshire Planters Aluminum Rectangle & Square


- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL722424	Rectangle	72"	24"	24"	94	22.6	69" x 21"	71.5" x 23.5"	CWM-R1620-3k
WWR-AL722430	Rectangle	72"	24"	30"	125	28.2	69" x 21"	71.5" x 23.5"	CWM-R1620-3k
WWR-AL722436	Rectangle	72"	24"	36"	140	35	69" x 21"	71.5" x 23.5"	CWM-R1620-3k
WWR-AL722442	Rectangle	72"	24"	42"	155	39.5	69" x 21"	71.5" x 23.5"	CWM-R1620-3k
WWR-AL723018	Rectangle	72"	30"	18"	88	21.8	69" x 27"	71.5" x 29.5"	CWM-R1614-3k
WWR-AL723024	Rectangle	72"	30"	24"	119	27.4	69" x 27"	71.5" x 29.5"	CWM-R1620-3k
WWR-AL723030	Rectangle	72"	30"	30"	135	34.5	69" x 27"	71.5" x 29.5"	CWM-R1620-3k
WWR-AL723036	Rectangle	72"	30"	36"	146	41.7	69" x 27"	71.5" x 29.5"	CWM-R1620-3k
WWR-AL723042	Rectangle	72"	30"	42"	167	48.8	69" x 27"	71.5" x 29.5"	CWM-R1620-3k
WWR-AL723618	Rectangle	72"	36"	18"	96	24.9	67" x 31"	71.5" x 35.5"	CWM-R1614-3k
WWR-AL723624	Rectangle	72"	36"	24"	125	32.8	67" x 31"	71.5" x 35.5"	CWM-R1620-3k
WWR-AL723630	Rectangle	72"	36"	30"	141	41.3	67" x 31"	71.5" x 35.5"	CWM-R1620-3k
WWR-AL723636	Rectangle	72"	36"	36"	162	49.8	67" x 31"	71.5" x 35.5"	CWM-R1620-3k
WWR-AL723642	Rectangle	72"	36"	42"	179	58.3	67" x 31"	71.5" x 35.5"	CWM-R1620-3k
WWR-AL724818	Rectangle	72"	48"	18"	113	33.3	67" x 43"	71.5" x 47.5"	CWM-R1614-3k
WWR-AL724824	Rectangle	72"	48"	24"	129	43.6	67" x 43"	71.5" x 47.5"	CWM-R1614-3k
WWR-AL724830	Rectangle	72"	48"	30"	172	55	67" x 43"	71.5" x 47.5"	CWM-R1620-3k
WWR-AL724836	Rectangle	72"	48"	36"	194	66.1	67" x 43"	71.5" x 47.5"	CWM-R1620-3k
WWR-AL724842	Rectangle	72"	48"	42"	228	77.4	67" x 43"	71.5" x 47.5"	CWM-R1620-3k
WWR-AL7200	Square	72"	72"	42"	297	120	67" x 67"	67.5" x 67.5"	CWM-R2020-4k-E

Wilshire Planters Aluminum Rectangle & Square


- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL961012	Rectangle	96"	10"	12"	59	6.3	93" x 7"	95.5" x 9.5"	CWM-R1109-5k
WWR-AL961218	Rectangle	96"	12"	18"	79	11.4	93" x 9"	95.5" x 11.5"	CWM-R1114-4k
WWR-AL961236	Rectangle	96"	12"	36"	145	22.6	93" x 9"	95.5" x 11.5"	CWM-R1120-4k
WWR-AL961818	Rectangle	96"	18"	18"	89	17.3	93" x 15"	95.5" x 17.5"	CWM-R1114-4k
WWR-AL961824	Rectangle	96"	18"	24"	127	23.1	93" x 15"	95.5" x 17.5"	CWM-R1620-4k
WWR-AL961830	Rectangle	96"	18"	30"	145	27	93" x 15"	95.5" x 17.5"	CWM-R1620-4k
WWR-AL961836	Rectangle	96"	18"	36"	157	34	93" x 15"	95.5" x 17.5"	CWM-R1620-4k
WWR-AL962418	Rectangle	96"	24"	18"	99	23.2	93" x 21"	95.5" x 23.5"	CWM-R1614-4k
WWR-AL962424	Rectangle	96"	24"	24"	138	30.1	93" x 21"	95.5" x 23.5"	CWM-R1620-4k
WWR-AL962430	Rectangle	96"	24"	30"	157	37.7	93" x 21"	95.5" x 23.5"	CWM-R1620-4k
WWR-AL962436	Rectangle	96"	24"	36"	175	46.7	93" x 21"	95.5" x 23.5"	CWM-R1620-4k
WWR-AL962442	Rectangle	96"	24"	42"	215	52.7	93" x 21"	95.5" x 23.5"	CWM-R1620-4k
WWR-AL963018	Rectangle	96"	30"	18"	109	27.6	93" x 27"	95.5" x 29.5"	CWM-R1614-4k
WWR-AL963024	Rectangle	96"	30"	24"	129	36.6	93" x 27"	95.5" x 29.5"	CWM-R1620-4k
WWR-AL963030	Rectangle	96"	30"	30"	169	46.1	93" x 27"	95.5" x 29.5"	CWM-R1620-4k
WWR-AL963036	Rectangle	96"	30"	36"	188	55.6	93" x 27"	95.5" x 29.5"	CWM-R1620-4k
WWR-AL963042	Rectangle	96"	30"	42"	235	65.1	93" x 27"	95.5" x 29.5"	CWM-R1620-4k
WWR-AL963618	Rectangle	96"	36"	18"	120	33.2	91" x 31"	95.5" x 35.5"	CWM-R1614-4k
WWR-AL963624	Rectangle	96"	36"	24"	140	43.9	91" x 31"	95.5" x 35.5"	CWM-R1620-4k
WWR-AL963630	Rectangle	96"	36"	30"	181	55.3	91" x 31"	95.5" x 35.5"	CWM-R1620-4k

Wilshire Planters Aluminum Rectangle & Square

- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL963636	Rectangle	96"	36"	36"	229	66.6	91" x 31"	95.5" x 35.5"	CWM-R1620-4k
WWR-AL963642	Rectangle	96"	36"	42"	250	78	91" x 31"	95.5" x 35.5"	CWM-R1620-4k
WWR-AL964818	Rectangle	96"	48"	18"	140	44.4	91" x 43"	95.5" x 47.5"	CWM-R1614-4k
WWR-AL964824	Rectangle	96"	48"	24"	190	58.4	91" x 43"	95.5" x 47.5"	CWM-R1614-4k
WWR-AL964830	Rectangle	96"	48"	30"	215	73.6	91" x 43"	95.5" x 47.5"	CWM-R1620-4k
WWR-AL964836	Rectangle	96"	48"	36"	258	88.5	91" x 43"	95.5" x 47.5"	CWM-R1620-4k
WWR-AL964842	Rectangle	96"	48"	42"	296	103.7	91" x 43"	95.5" x 47.5"	CWM-R1620-4k




Wilshire Planters Powder-Coated Steel Rectangle & Square


Wilshire Powder-Coated Steel Planters are available in powder-coated mild steel with a zinc-rich primer and stainless-steel base. Wilshire planters are engineered with minimal wall thickness to be light when installed on-structure but resist deformation.

Wilshire Planters, Powder-Coated Steel - Rectangle & Square

WILSHIRE PLANTERS, STEEL RECTANGLES & SQUARES




Rectangle




Square


THE COMPLETE WILSHIRE COLLECTION For additional shapes and materials, visit tournesol.com/collections/wilshire




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round




Round with Toe Kick

OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.




Irrigation



Change Dimension




Accessory Pockets



Scoops



Casters



TourneSeal



Drain Holes



Toe Kick



False Bottom



Tie Downs


Wilshire Planters, Powder-Coated Steel - Rectangle & Square

POWDER-COATED STEEL

Following fabrication, Wilshire Mild Steel Planters are thoroughly cleaned by white blasting, then the surface is treated with epoxy zinc-rich primer. After curing, the planter has a premium powder-coat finish applied.


TOP LIP

Wilshire Planters in Steel and Aluminum come with a standard lip return.



BASE OPTION

Wilshire Planters are available with a toe kick option. Steel planters are available with a stainless steel base that inhibits rust where moisture pools. Aluminum Planters are fully welded.



WWR-RE


Toe kick option
2"H bottom reveal

DRAINAGE

Drain Holes: Standard drain holes are 1-5/8" diameter, made free-of-charge at the factory.

Wilshire Planters Powder-Coated Steel Rectangle & Square


- 12-gauge steel with stainless steel base
- Engineered to resist deformation
- Optional toe kick available
- Powder-coat over zinc-rich primer to reduce rusting
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-CS1800	Square	18"	18"	20"	64 lbs.	3.5	15" x 15"	CWC-R1100
WVRT-CS1800	Square - tall	18"	18"	30"	85 lbs.	5.25	15" x 15"	CWM-R2020-MS
WWR-CS241012	Rectangle	24"	10"	12"	36 lbs.	1.47	21" x 7"	CWM-R1109-MS
WWR-CS241218	Rectangle	24"	12"	18"	52 lbs.	2.74	21" x 9"	CWM-R1614-MS
WWR-CS241818	Rectangle	24"	18"	18"	64 lbs.	4.14	21" x 15"	CWM-R2014-MS
WWR-CS241824	Rectangle	24"	18"	24"	86 lbs.	5.5	21" x 15"	CWM-R2014-MS
WWR-CS241830	Rectangle	24"	18"	30"	94 lbs.	7.08	21" x 15"	CWM-R2020-MS
WWR-CS242418	Square	24"	24"	18"	76 lbs.	5.53	21" x 21"	CWM-R2014-MS
WWR-CS2400	Square	24"	24"	24"	106 lbs.	7.5	21" x 21"	CWC-R1850/CWM-R1114-2k
WVRT-CS2400	Square - tall	24"	24"	48"	170 lbs.	15.25	21" x 21"	CWC-R1850/CWM-R1120-2k
WWR-CS3000	Square	30"	30"	27"	150 lbs.	13	27" x 27"	CWM-R1620-3K/CWM-1720-4K
WWR-CS361012	Rectangle	36"	10"	12"	51 lbs.	2.21	33" x 7"	CWM-R1109-2K
WWR-CS361218	Rectangle	36"	12"	18"	71 lbs.	4.13	33" x 9"	CWM-R1614-MS
WWR-CS361818	Rectangle	36"	18"	18"	85 lbs.	6.23	33" x 15"	CWM-R2014-MS
WWR-CS361824	Rectangle	36"	18"	24"	115 lbs.	8	33" x 15"	CWM-R2014-MS
WWR-CS361830	Rectangle	36"	18"	30"	134 lbs.	10.65	33" x 15"	CWM-R2020-MS
WWR-CS362418	Rectangle	36"	24"	18"	99 lbs.	8.32	33" x 21"	CWM-R2014-MS
WWR-CS362424	Rectangle	36"	24"	24"	132 lbs.	11	33" x 21"	CWM-R2914-MS
WWR-CS362430	Rectangle	36"	24"	30"	153 lbs.	14.24	33" x 21"	CWM-R2920-MS
WWR-CS362436	Rectangle	36"	24"	36"	175 lbs.	17.19	33" x 21"	CWM-R2920-MS

Wilshire Planters Powder-Coated Steel Rectangle & Square


- 12-gauge steel with stainless steel base
- Engineered to resist deformation
- Optional toe kick available
- Powder-coat over zinc-rich primer to reduce rusting
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-CS362442	Rectangle	36"	24"	42"	196 lbs.	20.15	33" x 21"	CWM-R2920-MS
WWR-CS363018	Rectangle	36"	30"	18"	113 lbs.	10.42	33" x 27"	CWM-R2914-MS
WWR-CS363024	Rectangle	36"	30"	24"	137 lbs.	14.13	33" x 27"	CWM-R2920-MS
WWR-CS363030	Rectangle	36"	30"	30"	173 lbs.	17.5	33" x 27"	CWM-R2920-MS
WWR-CS363036	Rectangle	36"	30"	36"	196 lbs.	21.53	33" x 27"	CWM-R2920-MS
WWR-CS363042	Rectangle	36"	30"	42"	220 lbs.	25.23	33" x 27"	CWM-R2920-MS
WWR-CS363618	Square	36"	36"	18"	127 lbs.	12.52	33" x 33"	CWM-R2914-MS
WWR-CS363624	Square	36"	36"	24"	153 lbs.	16.97	33" x 33"	CWM-R2920-MS
WWR-CS3600	Square	36"	36"	30"	204 lbs.	21	33" x 33"	CWM-R1620-2K/CWM-1720-4K
WWR-CS363636	Rectangle	36"	36"	36"	218 lbs.	25.87	33" x 33"	CWM-R2920-MS
WWR-CS363642	Rectangle	36"	36"	42"	243 lbs.	30.31	33" x 33"	CWM-R2920-MS
WWR-CS4200	Square	42"	42"	36"	262 lbs.	35.25	39" x 39"	CWM-R1120-4K/CWM-1720-4K
WWR-CS481012	Rectangle	48"	10"	12"	65 lbs.	2.95	45" x 7"	CWM-R1109-3K
WWR-CS481218	Rectangle	48"	12"	18"	91 lbs.	5.51	45" x 9"	CWM-R1614-2K
WWR-CS481818	Rectangle	48"	18"	18"	107 lbs.	8.31	45" x 15"	CWM-R2014-2K
WWR-CS481824	Rectangle	48"	18"	24"	148 lbs.	11	45" x 15"	CWM-R2014-2k
WWR-CS481830	Rectangle	48"	18"	30"	166 lbs.	14.22	45" x 15"	CWM-R2020-2K
WWR-CS482418	Rectangle	48"	24"	18"	123 lbs.	11.12	45" x 21"	CWM-R2014-2K
WWR-CS482424	Rectangle	48"	24"	24"	169 lbs.	14.5	45" x 21"	CWM-R2014-2k
WWR-CS482430	Rectangle	48"	24"	30"	188 lbs.	19.01	45" x 21"	CWM-R2020-2k

Wilshire Planters Powder-Coated Steel Rectangle & Square


- 12-gauge steel with stainless steel base
- Engineered to resist deformation
- Optional toe kick available
- Powder-coat over zinc-rich primer to reduce rusting
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-CS482436	Rectangle	48"	24"	36"	213 lbs.	22.96	45" x 21"	CWM-R2020-2k
WWR-CS482442	Rectangle	48"	24"	42"	239 lbs.	26.91	45" x 21"	CWM-R2020-2k
WWR-CS483018	Rectangle	48"	30"	18"	139 lbs.	13.92	45" x 27"	CWM-R2014-2k
WWR-CS483024	Rectangle	48"	30"	24"	167 lbs.	18.86	45" x 27"	CWM-R2020-2k
WWR-CS483030	Rectangle	48"	30"	30"	219 lbs.	23.5	45" x 27"	CWM-R2020-2k
WWR-CS483036	Rectangle	48"	30"	36"	237 lbs.	28.75	45" x 27"	CWM-R2020-2k
WWR-CS483042	Rectangle	48"	30"	42"	265 lbs.	33.69	45" x 27"	CWM-R2020-2k
WWR-CS483618	Rectangle	48"	36"	18"	155 lbs.	16.72	45" x 33"	CWM-R2014-2k
WWR-CS483624	Rectangle	48"	36"	24"	185 lbs.	22.66	45" x 33"	CWM-R2020-2k
WWR-CS483630	Rectangle	48"	36"	30"	231 lbs.	28.6	45" x 33"	CWM-R2020-2k
WWR-CS483636	Rectangle	48"	36"	36"	261 lbs.	34.54	45" x 33"	CWM-R2020-2k
WWR-CS483642	Rectangle	48"	36"	42"	291 lbs.	40.48	45" x 33"	CWM-R2020-2k
WWR-CS484818	Rectangle	48"	48"	18"	187 lbs.	22.33	45" x 45"	CWM-R2014-2k
WWR-CS4824	Square	48"	48"	24"	239 lbs.	30.25	45" x 45"	CWM-R2014-4K/CWM-2914-4K
WWR-CS484830	Rectangle	48"	48"	30"	274 lbs.	38.19	45" x 45"	CWM-R2020-2k
WWR-CS4800	Square	48"	48"	36"	344 lbs.	45.5	45" x 45"	CWM-R2920-4k
WWR-CS484842	Square	48"	48"	42"	342 lbs.	54.05	45" x 45"	CWM-R2020-2k
WWR-CS601012	Rectangle	60"	10"	12"	79 lbs.	3.69	57" x 7"	CWM-R1109-3K
WWR-CS601218	Rectangle	60"	12"	18"	110 lbs.	6.89	57" x 9"	CWM-R1614-3K
WWR-CS601818	Rectangle	60"	18"	18"	128 lbs.	10.4	57" x 15"	CWM-R2014-2K

Wilshire Planters Powder-Coated Steel Rectangle & Square


- 12-gauge steel with stainless steel base
- Engineered to resist deformation
- Optional toe kick available
- Powder-coat over zinc-rich primer to reduce rusting
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-CS601824	Rectangle	60"	18"	24"	177 lbs.	14	57" x 15"	CWM-R2014-2k
WWR-CS601830	Rectangle	60"	18"	30"	198 lbs.	17.79	57" x 15"	CWM-R2020-2K
WWR-CS602418	Rectangle	60"	24"	18"	146 lbs.	13.91	57" x 21"	CWM-R2014-2K
WWR-CS602424	Rectangle	60"	24"	24"	200 lbs.	18.5	57" x 21"	CWM-R2014-2k
WWR-CS602430	Rectangle	60"	24"	30"	222 lbs.	23.78	57" x 21"	CWM-R2020-2k
WWR-CS602436	Rectangle	60"	24"	36"	252 lbs.	28.72	57" x 21"	CWM-R2020-2k
WWR-CS602442	Rectangle	60"	24"	42"	298 lbs.	33.66	57" x 21"	CWM-R2020-2k
WWR-CS603018	Rectangle	60"	30"	18"	164 lbs.	17.41	57" x 27"	CWM-R2014-2k
WWR-CS603024	Rectangle	60"	30"	24"	197 lbs.	23.6	57" x 27"	CWM-R2020-2k
WWR-CS603030	Rectangle	60"	30"	30"	256 lbs.	29	57" x 27"	CWM-R2020-2k
WWR-CS603036	Rectangle	60"	30"	36"	278 lbs.	35.97	57" x 27"	CWM-R2020-2k
WWR-CS603042	Rectangle	60"	30"	42"	327 lbs.	42.15	57" x 27"	CWM-R2020-2k
WWR-CS603618	Rectangle	60"	36"	18"	183 lbs.	20.92	57" x 33"	CWM-R2014-2k
WWR-CS603624	Rectangle	60"	36"	24"	217 lbs.	28.35	57" x 33"	CWM-R2020-2k
WWR-CS603630	Rectangle	60"	36"	30"	269 lbs.	35.78	57" x 33"	CWM-R2020-2k
WWR-CS603636	Rectangle	60"	36"	36"	304 lbs.	43.21	57" x 33"	CWM-R2020-2k
WWR-CS603642	Rectangle	60"	36"	42"	356 lbs.	50.64	57" x 33"	CWM-R2020-2k
WWR-CS604818	Rectangle	60"	48"	18"	219 lbs.	27.94	57" x 45"	CWM-R2014-2k
WWR-CS604824	Rectangle	60"	48"	24"	257 lbs.	37.86	57" x 45"	CWM-R2020-2k
WWR-CS604830	Rectangle	60"	48"	30"	317 lbs.	47.78	57" x 45"	CWM-R2020-2k

Wilshire Planters Powder-Coated Steel Rectangle & Square


- 12-gauge steel with stainless steel base
- Engineered to resist deformation
- Optional toe kick available
- Powder-coat over zinc-rich primer to reduce rusting
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-CS604836	Rectangle	60"	48"	36"	355 lbs.	57.7	57" x 45"	CWM-R2020-2k
WWR-CS604842	Rectangle	60"	48"	42"	414 lbs.	67.62	57" x 45"	CWM-R2020-2k
WWR-CS6000	Square	60"	60"	42"	450 lbs.	84.5	57" x 57"	CWM-2920-4K
WWR-CS721012	Rectangle	72"	10"	12"	93 lbs.	4.43	69" x 7"	CWM-R1109-4K
WWR-CS721218	Rectangle	72"	12"	18"	129 lbs.	8.28	69" x 9"	CWM-R1614-3K
WWR-CS721818	Rectangle	72"	18"	18"	149 lbs.	12.49	69" x 15"	CWM-R2014-3K
WWR-CS721824	Rectangle	72"	18"	24"	210 lbs.	16.5	69" x 15"	CWM-R2014-3k
WWR-CS721830	Rectangle	72"	18"	30"	231 lbs.	21.36	69" x 15"	CWM-R2020-3K
WWR-CS722418	Rectangle	72"	24"	18"	170 lbs.	16.7	69" x 21"	CWM-R2014-3K
WWR-CS722424	Rectangle	72"	24"	24"	238 lbs.	22	69" x 21"	CWM-R2014-3k
WWR-CS722430	Rectangle	72"	24"	30"	257 lbs.	28.56	69" x 21"	CWM-R2020-3k
WWR-CS722436	Rectangle	72"	24"	36"	291 lbs.	34.49	69" x 21"	CWM-R2020-3k
WWR-CS722442	Rectangle	72"	24"	42"	343 lbs.	40.42	69" x 21"	CWM-R2020-3k
WWR-CS723018	Rectangle	72"	30"	18"	190 lbs.	20.91	69" x 27"	CWM-R2014-3k
WWR-CS723024	Rectangle	72"	30"	24"	226 lbs.	28.34	69" x 27"	CWM-R2020-3k
WWR-CS723030	Rectangle	72"	30"	30"	301 lbs.	35	69" x 27"	CWM-R2020-3k
WWR-CS723036	Rectangle	72"	30"	36"	319 lbs.	43.19	69" x 27"	CWM-R2020-3k
WWR-CS723042	Rectangle	72"	30"	42"	375 lbs.	50.61	69" x 27"	CWM-R2020-3k
WWR-CS723618	Rectangle	72"	36"	18"	210 lbs.	25.12	69" x 33"	CWM-R2014-3k
WWR-CS723624	Rectangle	72"	36"	24"	249 lbs.	34.04	69" x 33"	CWM-R2020-3k

Wilshire Planters Powder-Coated Steel Rectangle & Square


- 12-gauge steel with stainless steel base
- Engineered to resist deformation
- Optional toe kick available
- Powder-coat over zinc-rich primer to reduce rusting
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-CS723630	Rectangle	72"	36"	30"	308 lbs.	42.96	69" x 33"	CWM-R2020-3k
WWR-CS723636	Rectangle	72"	36"	36"	347 lbs.	51.89	69" x 33"	CWM-R2020-3k
WWR-CS723642	Rectangle	72"	36"	42"	406 lbs.	60.81	69" x 33"	CWM-R2020-3k
WWR-CS724818	Rectangle	72"	48"	18"	251 lbs.	33.54	69" x 45"	CWM-R2014-3k
WWR-CS724824	Rectangle	72"	48"	24"	294 lbs.	45.46	69" x 45"	CWM-R2020-3k
WWR-CS724830	Rectangle	72"	48"	30"	360 lbs.	57.37	69" x 45"	CWM-R2020-3k
WWR-CS724836	Rectangle	72"	48"	36"	403 lbs.	69.28	69" x 45"	CWM-R2020-3k
WWR-CS724842	Rectangle	72"	48"	42"	468 lbs.	81.19	69" x 45"	CWM-R2020-3k
WWR-CS7200	Square	72"	72"	30"	566 lbs.	122	69" x 69"	CWM-2920-4KE
WWR-CS961012	Rectangle	96"	10"	12"	121 lbs.	5.91	93" x 7"	CWM-R1109-5k
WWR-CS961218	Rectangle	96"	12"	18"	167 lbs.	11.04	93" x 9"	CWM-R1614-4K
WWR-CS961818	Rectangle	96"	18"	18"	192 lbs.	16.66	93" x 15"	CWM-R2014-3K
WWR-CS961824	Rectangle	96"	18"	24"	267 lbs.	22	93" x 15"	CWM-R2014-4k
WWR-CS961830	Rectangle	96"	18"	30"	317 lbs.	28.5	93" x 15"	CWM-R2020-3K
WWR-CS962418	Rectangle	96"	24"	18"	217 lbs.	22.28	93" x 21"	CWM-R2014-3K
WWR-CS962424	Rectangle	96"	24"	24"	299 lbs.	29.5	93" x 21"	CWM-R2014-4k
WWR-CS962430	Rectangle	96"	24"	30"	348 lbs.	38.11	93" x 21"	CWM-R2020-4k
WWR-CS962436	Rectangle	96"	24"	36"	391 lbs.	46.02	93" x 21"	CWM-R2020-4k
WWR-CS962442	Rectangle	96"	24"	42"	457 lbs.	53.93	93" x 21"	CWM-R2020-4k
WWR-CS963018	Rectangle	96"	30"	18"	241 lbs.	27.9	93" x 27"	CWM-R2014-4k

Wilshire Planters Powder-Coated Steel Rectangle & Square

- 12-gauge steel with stainless steel base
- Engineered to resist deformation
- Optional toe kick available
- Powder-coat over zinc-rich primer to reduce rusting
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-CS963024	Rectangle	96"	30"	24"	311 lbs.	37.81	93" x 27"	CWM-R2020-4k
WWR-CS963030	Rectangle	96"	30"	30"	375 lbs.	46.5	93" x 27"	CWM-R2020-4k
WWR-CS963036	Rectangle	96"	30"	36"	425 lbs.	57.62	93" x 27"	CWM-R2020-4k
WWR-CS963042	Rectangle	96"	30"	42"	494 lbs.	67.53	93" x 27"	CWM-R2020-4k
WWR-CS963618	Rectangle	96"	36"	18"	266 lbs.	33.52	93" x 33"	CWM-R2014-4k
WWR-CS963624	Rectangle	96"	36"	24"	338 lbs.	45.42	93" x 33"	CWM-R2020-4k
WWR-CS963630	Rectangle	96"	36"	30"	411 lbs.	57.33	93" x 33"	CWM-R2020-4k
WWR-CS963636	Rectangle	96"	36"	36"	458 lbs.	69.23	93" x 33"	CWM-R2020-4k
WWR-CS963642	Rectangle	96"	36"	42"	531 lbs.	81.14	93" x 33"	CWM-R2020-4k
WWR-CS964818	Rectangle	96"	48"	18"	315 lbs.	44.76	93" x 45"	CWM-R2014-4k
WWR-CS964824	Rectangle	96"	48"	24"	394 lbs.	60.65	93" x 45"	CWM-R2020-4k
WWR-CS964830	Rectangle	96"	48"	30"	474 lbs.	76.55	93" x 45"	CWM-R2020-4k
WWR-CS964836	Rectangle	96"	48"	36"	525 lbs.	92.44	93" x 45"	CWM-R2020-4k
WWR-CS964842	Rectangle	96"	48"	42"	604 lbs.	108.34	93" x 45"	CWM-R2020-4k




Wilshire Planters

Weathering Steel Rectangle & Square


Wilshire planters, our most popular collection, are available in weathering steel (Corten), a steel that rusts but maintains its structural strength. Wilshire Weathering Steel planters are shipped with a rustic mill-scale finish. Exact color of patina will change over time from a vibrant orange to a darker brown color.

Wilshire Planters, Weathering Steel Rectangle & Square

WILSHIRE PLANTERS, WEATHERING STEEL RECTANGLES & SQUARES




Rectangle




Square

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round




Round with Toe Kick

OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.




Irrigation



Change Dimension



Accessory Pockets



Scoops



Casters



TourneSeal



Drain Holes



Toe Kick



Tie Downs

Wilshire Planters, Weathering Steel Rectangle & Square

WEATHERING STEEL

Select Weathering Steel for Wilshire Planters when you need authentic rusting patina.

Rust staining will likely occur on any surface the planter is on, as well as any path that rain runoff follows, and any gutter/drain system near the planter. This will lessen over time.


Planters are shipped with rustic mill-scale finish. They may begin to rust in transit. Initial rust patina develops within weeks, complete rusting may take years to develop.

Exact color of patina will change over time from a vibrant orange to a darker brown color.

For more information, visit our website and review *Care, Maintenance & Warranty*.


TOP LIP

Wilshire Planters in Steel and Aluminum come with a standard lip return.



BASE OPTION

Wilshire Planters are available with a toe kick option. Steel planters are available with a stainless steel base that inhibits rust where moisture pools. Aluminum Planters are fully welded.



WWR-RE


Toe kick option
2"H bottom reveal

DRAINAGE

Drain Holes: Standard drain holes are 1-5/8" diameter, made free-of-charge at the factory.

Wilshire Planters Weathering Steel Rectangle & Square


- 12-gauge steel with stainless steel base
- Engineered to resist deformation
- Fully welded corners
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-WS1800	Square	18"	18"	20"	64 lbs.	3.5	15" x 15"	CWC-R1100
WWRT-WS1800	Square - tall	18"	18"	30"	85 lbs.	5.25	15" x 15"	CWM-R2020-MS
WWR-WS241012	Rectangle	24"	10"	12"	36 lbs.	1.47	21" x 7"	CWM-R1109-MS
WWR-WS241218	Rectangle	24"	12"	18"	52 lbs.	2.74	21" x 9"	CWM-R1614-MS
WWR-WS241818	Rectangle	24"	18"	18"	64 lbs.	4.14	21" x 15"	CWM-R2014-MS
WWR-WS241824	Rectangle	24"	18"	24"	86 lbs.	5.5	21" x 15"	CWM-R2014-MS
WWR-WS241830	Rectangle	24"	18"	30"	94 lbs.	7.08	21" x 15"	CWM-R2020-MS
WWR-WS242418	Square	24"	24"	18"	76 lbs.	5.53	21" x 21"	CWM-R2014-MS
WWR-WS2400	Square	24"	24"	24"	106 lbs.	7.5	21" x 21"	CWC-R1850/CWM-R1114-2k
WWRT-WS2400	Square - tall	24"	24"	48"	170 lbs.	15.25	21" x 21"	CWC-R1850/CWM-R1120-2k
WWR-WS3000	Square	30"	30"	27"	150 lbs.	13	27" x 27"	CWM-R1620-3K/CWM-1720-4K
WWR-WS361012	Rectangle	36"	10"	12"	51 lbs.	2.21	33" x 7"	CWM-R1109-2K
WWR-WS361218	Rectangle	36"	12"	18"	71 lbs.	4.13	33" x 9"	CWM-R1614-MS
WWR-WS361818	Rectangle	36"	18"	18"	85 lbs.	6.23	33" x 15"	CWM-R2014-MS
WWR-WS361824	Rectangle	36"	18"	24"	115 lbs.	8	33" x 15"	CWM-R2014-MS
WWR-WS361830	Rectangle	36"	18"	30"	134 lbs.	10.65	33" x 15"	CWM-R2020-MS
WWR-WS362418	Rectangle	36"	24"	18"	99 lbs.	8.32	33" x 21"	CWM-R2014-MS
WWR-WS362424	Rectangle	36"	24"	24"	132 lbs.	11	33" x 21"	CWM-R2914-MS
WWR-WS362430	Rectangle	36"	24"	30"	153 lbs.	14.24	33" x 21"	CWM-R2920-MS
WWR-WS362436	Rectangle	36"	24"	36"	175 lbs.	17.19	33" x 21"	CWM-R2920-MS

Wilshire Planters Weathering Steel Rectangle & Square


- 12-gauge steel with stainless steel base
- Engineered to resist deformation
- Fully welded corners
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-WS362442	Rectangle	36"	24"	42"	196 lbs.	20.15	33" x 21"	CWM-R2920-MS
WWR-WS363018	Rectangle	36"	30"	18"	113 lbs.	10.42	33" x 27"	CWM-R2914-MS
WWR-WS363024	Rectangle	36"	30"	24"	137 lbs.	14.13	33" x 27"	CWM-R2920-MS
WWR-WS363030	Rectangle	36"	30"	30"	173 lbs.	17.5	33" x 27"	CWM-R2920-MS
WWR-WS363036	Rectangle	36"	30"	36"	196 lbs.	21.53	33" x 27"	CWM-R2920-MS
WWR-WS363042	Rectangle	36"	30"	42"	220 lbs.	25.23	33" x 27"	CWM-R2920-MS
WWR-WS363618	Square	36"	36"	18"	127 lbs.	12.52	33" x 33"	CWM-R2914-MS
WWR-WS363624	Square	36"	36"	24"	153 lbs.	16.97	33" x 33"	CWM-R2920-MS
WWR-WS3600	Square	36"	36"	30"	204 lbs.	21	33" x 33"	CWM-R1620-2K/CWM-1720-4K
WWR-WS363636	Square	36"	36"	36"	218 lbs.	25.87	33" x 33"	CWM-R2920-MS
WWR-WS363642	Square	36"	36"	42"	243 lbs.	30.31	33" x 33"	CWM-R2920-MS
WWR-WS4200	Square	42"	42"	36"	262 lbs.	35.25	39" x 39"	CWM-R1120-4K/CWM-1720-4K
WWR-WS481012	Rectangle	48"	10"	12"	65 lbs.	2.95	45" x 7"	CWM-R1109-3K
WWR-WS481218	Rectangle	48"	12"	18"	91 lbs.	5.51	45" x 9"	CWM-R1614-2K
WWR-WS481818	Rectangle	48"	18"	18"	107 lbs.	8.31	45" x 15"	CWM-R2014-2K
WWR-WS481824	Rectangle	48"	18"	24"	148 lbs.	11	45" x 15"	CWM-R2014-2k
WWR-WS481830	Rectangle	48"	18"	30"	166 lbs.	14.22	45" x 15"	CWM-R2020-2K
WWR-WS482418	Rectangle	48"	24"	18"	123 lbs.	11.12	45" x 21"	CWM-R2014-2K
WWR-WS482424	Rectangle	48"	24"	24"	169 lbs.	14.5	45" x 21"	CWM-R2014-2k
WWR-WS482430	Rectangle	48"	24"	30"	188 lbs.	19.01	45" x 21"	CWM-R2020-2k

Wilshire Planters Weathering Steel Rectangle & Square


- 12-gauge steel with stainless steel base
- Engineered to resist deformation
- Fully welded corners
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-WS482436	Rectangle	48"	24"	36"	213 lbs.	22.96	45" x 21"	CWM-R2020-2k
WWR-WS482442	Rectangle	48"	24"	42"	239 lbs.	26.91	45" x 21"	CWM-R2020-2k
WWR-WS483018	Rectangle	48"	30"	18"	139 lbs.	13.92	45" x 27"	CWM-R2014-2k
WWR-WS483024	Rectangle	48"	30"	24"	167 lbs.	18.86	45" x 27"	CWM-R2020-2k
WWR-WS483030	Rectangle	48"	30"	30"	219 lbs.	23.5	45" x 27"	CWM-R2020-2k
WWR-WS483036	Rectangle	48"	30"	36"	237 lbs.	28.75	45" x 27"	CWM-R2020-2k
WWR-WS483042	Rectangle	48"	30"	42"	265 lbs.	33.69	45" x 27"	CWM-R2020-2k
WWR-WS483618	Rectangle	48"	36"	18"	155 lbs.	16.72	45" x 33"	CWM-R2014-2k
WWR-WS483624	Rectangle	48"	36"	24"	185 lbs.	22.66	45" x 33"	CWM-R2020-2k
WWR-WS483630	Rectangle	48"	36"	30"	231 lbs.	28.6	45" x 33"	CWM-R2020-2k
WWR-WS483636	Rectangle	48"	36"	36"	261 lbs.	34.54	45" x 33"	CWM-R2020-2k
WWR-WS483642	Rectangle	48"	36"	42"	291 lbs.	40.48	45" x 33"	CWM-R2020-2k
WWR-WS484818	Rectangle	48"	48"	18"	187 lbs.	22.33	45" x 45"	CWM-R2014-2k
WWR-WS484824	Square	48"	48"	24"	239 lbs.	30.25	45" x 45"	CWM-R2014-4K/CWM-2914-4K
WWR-WS484830	Square	48"	48"	30"	274 lbs.	38.19	45" x 45"	CWM-R2020-2k
WWR-WS484800	Square	48"	48"	36"	344 lbs.	45.5	45" x 45"	CWM-R2920-4k
WWR-WS484842	Square	48"	48"	42"	342 lbs.	54.05	45" x 45"	CWM-R2020-2k
WWR-WS601012	Rectangle	60"	10"	12"	79 lbs.	3.69	57" x 7"	CWM-R1109-3K
WWR-WS601218	Rectangle	60"	12"	18"	110 lbs.	6.89	57" x 9"	CWM-R1614-3K
WWR-WS601818	Rectangle	60"	18"	18"	128 lbs.	10.4	57" x 15"	CWM-R2014-2K

Wilshire Planters Weathering Steel Rectangle & Square


- 12-gauge steel with stainless steel base
- Engineered to resist deformation
- Fully welded corners
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-WS601824	Rectangle	60"	18"	24"	177 lbs.	14	57" x 15"	CWM-R2014-2k
WWR-WS601830	Rectangle	60"	18"	30"	198 lbs.	17.79	57" x 15"	CWM-R2020-2K
WWR-WS602418	Rectangle	60"	24"	18"	146 lbs.	13.91	57" x 21"	CWM-R2014-2K
WWR-WS602424	Rectangle	60"	24"	24"	200 lbs.	18.5	57" x 21"	CWM-R2014-2k
WWR-WS602430	Rectangle	60"	24"	30"	222 lbs.	23.78	57" x 21"	CWM-R2020-2k
WWR-WS602436	Rectangle	60"	24"	36"	252 lbs.	28.72	57" x 21"	CWM-R2020-2k
WWR-WS602442	Rectangle	60"	24"	42"	298 lbs.	33.66	57" x 21"	CWM-R2020-2k
WWR-WS603018	Rectangle	60"	30"	18"	164 lbs.	17.41	57" x 27"	CWM-R2014-2k
WWR-WS603024	Rectangle	60"	30"	24"	197 lbs.	23.6	57" x 27"	CWM-R2020-2k
WWR-WS603030	Rectangle	60"	30"	30"	256 lbs.	29	57" x 27"	CWM-R2020-2k
WWR-WS603036	Rectangle	60"	30"	36"	278 lbs.	35.97	57" x 27"	CWM-R2020-2k
WWR-WS603042	Rectangle	60"	30"	42"	327 lbs.	42.15	57" x 27"	CWM-R2020-2k
WWR-WS603618	Rectangle	60"	36"	18"	183 lbs.	20.92	57" x 33"	CWM-R2014-2k
WWR-WS603624	Rectangle	60"	36"	24"	217 lbs.	28.35	57" x 33"	CWM-R2020-2k
WWR-WS603630	Rectangle	60"	36"	30"	269 lbs.	35.78	57" x 33"	CWM-R2020-2k
WWR-WS603636	Rectangle	60"	36"	36"	304 lbs.	43.21	57" x 33"	CWM-R2020-2k
WWR-WS603642	Rectangle	60"	36"	42"	356 lbs.	50.64	57" x 33"	CWM-R2020-2k
WWR-WS604818	Rectangle	60"	48"	18"	219 lbs.	27.94	57" x 45"	CWM-R2014-2k
WWR-WS604824	Rectangle	60"	48"	24"	257 lbs.	37.86	57" x 45"	CWM-R2020-2k
WWR-WS604830	Rectangle	60"	48"	30"	317 lbs.	47.78	57" x 45"	CWM-R2020-2k

Wilshire Planters Weathering Steel Rectangle & Square


- 12-gauge steel with stainless steel base
- Engineered to resist deformation
- Fully welded corners
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-WS604836	Rectangle	60"	48"	36"	355 lbs.	57.7	57" x 45"	CWM-R2020-3k
WWR-WS604842	Rectangle	60"	48"	42"	414 lbs.	67.62	57" x 45"	CWM-R2020-2k
WWR-WS6000	Square	60"	60"	42"	450 lbs.	84.5	57" x 57"	CWM-2920-4K
WWR-WS721012	Rectangle	72"	10"	12"	93 lbs.	4.43	69" x 7"	CWM-R1109-4K
WWR-WS721218	Rectangle	72"	12"	18"	129 lbs.	8.28	69" x 9"	CWM-R1614-3K
WWR-WS721818	Rectangle	72"	18"	18"	149 lbs.	12.49	69" x 15"	CWM-R2014-3K
WWR-WS721824	Rectangle	72"	18"	24"	210 lbs.	16.5	69" x 15"	CWM-R2014-3k
WWR-WS721830	Rectangle	72"	18"	30"	231 lbs.	21.36	69" x 15"	CWM-R2020-3K
WWR-WS722418	Rectangle	72"	24"	18"	170 lbs.	16.7	69" x 21"	CWM-R2014-3K
WWR-WS722424	Rectangle	72"	24"	24"	238 lbs.	22	69" x 21"	CWM-R2014-3k
WWR-WS722430	Rectangle	72"	24"	30"	257 lbs.	28.56	69" x 21"	CWM-R2020-3k
WWR-WS722436	Rectangle	72"	24"	36"	291 lbs.	34.49	69" x 21"	CWM-R2020-3k
WWR-WS722442	Rectangle	72"	24"	42"	343 lbs.	40.42	69" x 21"	CWM-R2020-3k
WWR-WS723018	Rectangle	72"	30"	18"	190 lbs.	20.91	69" x 27"	CWM-R2014-3k
WWR-WS723024	Rectangle	72"	30"	24"	226 lbs.	28.34	69" x 27"	CWM-R2020-3k
WWR-WS723030	Rectangle	72"	30"	30"	301 lbs.	35	69" x 27"	CWM-R2020-3k
WWR-WS723036	Rectangle	72"	30"	36"	319 lbs.	43.19	69" x 27"	CWM-R2020-3k
WWR-WS723042	Rectangle	72"	30"	42"	375 lbs.	50.61	69" x 27"	CWM-R2020-3k
WWR-WS723618	Rectangle	72"	36"	18"	210 lbs.	25.12	69" x 33"	CWM-R2014-3k
WWR-WS723624	Rectangle	72"	36"	24"	249 lbs.	34.04	69" x 33"	CWM-R2020-3k

Wilshire Planters Weathering Steel Rectangle & Square


- 12-gauge steel with stainless steel base
- Engineered to resist deformation
- Fully welded corners
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-WS723630	Rectangle	72"	36"	30"	308 lbs.	42.96	69" x 33"	CWM-R2020-3k
WWR-WS723636	Rectangle	72"	36"	36"	347 lbs.	51.89	69" x 33"	CWM-R2020-3k
WWR-WS723642	Rectangle	72"	36"	42"	406 lbs.	60.81	69" x 33"	CWM-R2020-3k
WWR-WS724818	Rectangle	72"	48"	18"	251 lbs.	33.54	69" x 45"	CWM-R2014-3k
WWR-WS724824	Rectangle	72"	48"	24"	294 lbs.	45.46	69" x 45"	CWM-R2020-3k
WWR-WS724830	Rectangle	72"	48"	30"	360 lbs.	57.37	69" x 45"	CWM-R2020-3k
WWR-WS724836	Rectangle	72"	48"	36"	403 lbs.	69.28	69" x 45"	CWM-R2020-3k
WWR-WS724842	Rectangle	72"	48"	42"	468 lbs.	81.19	69" x 45"	CWM-R2020-3k
WWR-WS7200	Square	72"	72"	30"	566 lbs.	122	69" x 69"	CWM-2920-4KE
WWR-WS961012	Rectangle	96"	10"	12"	121 lbs.	5.91	93" x 7"	CWM-R1109-5k
WWR-WS961218	Rectangle	96"	12"	18"	167 lbs.	11.04	93" x 9"	CWM-R1614-4K
WWR-WS961818	Rectangle	96"	18"	18"	192 lbs.	16.66	93" x 15"	CWM-R2014-3K
WWR-WS961824	Rectangle	96"	18"	24"	267 lbs.	22	93" x 15"	CWM-R2014-4k
WWR-WS961830	Rectangle	96"	18"	30"	317 lbs.	28.5	93" x 15"	CWM-R2020-3K
WWR-WS962418	Rectangle	96"	24"	18"	217 lbs.	22.28	93" x 21"	CWM-R2014-3K
WWR-WS962424	Rectangle	96"	24"	24"	299 lbs.	29.5	93" x 21"	CWM-R2014-4k
WWR-WS962430	Rectangle	96"	24"	30"	348 lbs.	38.11	93" x 21"	CWM-R2020-4k
WWR-WS962436	Rectangle	96"	24"	36"	391 lbs.	46.02	93" x 21"	CWM-R2020-4k
WWR-WS962442	Rectangle	96"	24"	42"	457 lbs.	53.93	93" x 21"	CWM-R2020-4k
WWR-WS963018	Rectangle	96"	30"	18"	241 lbs.	27.9	93" x 27"	CWM-R2014-4k

Wilshire Planters Weathering Steel Rectangle & Square

- 12-gauge steel with stainless steel base
- Engineered to resist deformation
- Fully welded corners
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-WS963024	Rectangle	96"	30"	24"	311 lbs.	37.81	93" x 27"	CWM-R2020-4k
WWR-WS963030	Rectangle	96"	30"	30"	375 lbs.	46.5	93" x 27"	CWM-R2020-4k
WWR-WS963036	Rectangle	96"	30"	36"	425 lbs.	57.62	93" x 27"	CWM-R2020-4k
WWR-WS963042	Rectangle	96"	30"	42"	494 lbs.	67.53	93" x 27"	CWM-R2020-4k
WWR-WS963618	Rectangle	96"	36"	18"	266 lbs.	33.52	93" x 33"	CWM-R2014-4k
WWR-WS963624	Rectangle	96"	36"	24"	338 lbs.	45.42	93" x 33"	CWM-R2020-4k
WWR-WS963630	Rectangle	96"	36"	30"	411 lbs.	57.33	93" x 33"	CWM-R2020-4k
WWR-WS963636	Rectangle	96"	36"	36"	458 lbs.	69.23	93" x 33"	CWM-R2020-4k
WWR-WS963642	Rectangle	96"	36"	42"	531 lbs.	81.14	93" x 33"	CWM-R2020-4k
WWR-WS964818	Rectangle	96"	48"	18"	315 lbs.	44.76	93" x 45"	CWM-R2014-4k
WWR-WS964824	Rectangle	96"	48"	24"	394 lbs.	60.65	93" x 45"	CWM-R2020-4k
WWR-WS964830	Rectangle	96"	48"	30"	474 lbs.	76.55	93" x 45"	CWM-R2020-4k
WWR-WS964836	Rectangle	96"	48"	36"	525 lbs.	92.44	93" x 45"	CWM-R2020-4k
WWR-WS964842	Rectangle	96"	48"	42"	604 lbs.	108.34	93" x 45"	CWM-R2020-4k