




## Wilshire Planters FRP with Greenscreen® Trellis

An attractive, easy-to-install solution for creating privacy or hiding unattractive elements like building systems. Our lightweight FRP Fiberglass planter (available in all colors and textures) and Greenscreen® trellis, framed on top and sides, with vertical supports to fit in planter lip. Trellis available in various powder-coat colors.

# Wilshire Planters, FRP with Greenscreen® Trellis


## WILSHIRE PLANTERS FRP WITH GREENSCREEN® TRELLIS




Planter with Trellis

## THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit [tournesol.com/collections/wilshire](https://tournesol.com/collections/wilshire)




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round




Round with Toe Kick

## OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Change Dimension



Accessory Pockets



TourneSeal



Drain Holes




Matching Saucer



Custom Color

# Wilshire Planters, FRP with Greenscreen® Trellis

- Durable, lightweight FRP planter with powder-coated Greenscreen® trellis. 2"W x 2"L x 3"D grid.
- Trellis vertical supports fit into planter lip and are secured with discrete stainless-steel fasteners.
- Trellis is framed on top and sides and extends to planter edge so adjacent planters form a seamless trellis wall.
- Select a Greenscreen Trellis color in addition to a FRP color and texture. Drain holes available upon request.



\* Add "-X" after product number to indicate optional offset mounting.

PRODUCT	LENGTH	WIDTH	HEIGHT OF PLANTER	TOTAL HEIGHT WITH TRELLIS	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	IRRIGATION
WX2-481824-74	48"	18"	24"	74"	101	11.5	CWM-R1620-2k
WX2-481830-80	48"	18"	30"	80"	111	17.3	CWM-R1620-2k
WX2-481836-86	48"	18"	36"	86"	122	23.1	CWM-R1620-2k
WX2-482424-74	48"	24"	24"	74"	109	13.5	CWM-R1620-2k
WX2-482430-80	48"	24"	30"	80"	121	20.2	CWM-R1620-2k
WX2-482436-86	48"	24"	36"	86"	132	27	CWM-R1620-2k
WX2-721824-74	72"	18"	24"	74"	133	13.5	CWM-R1620-3k
WX2-721830-80	72"	18"	30"	80"	148	25.5	CWM-R1620-3k
WX2-721836-86	48"	18"	36"	86"	122	34	CWM-R1620-3k
WX2-722424-74	72"	24"	24"	74"	144	15	CWM-R1620-3k
WX2-722430-80	72"	24"	30"	80"	159	22.6	CWM-R1620-3k
WX2-722436-86	72"	24"	36"	86"	175	30.1	CWM-R1620-3k
WX2-961824-74	96"	18"	24"	74"	166	18.8	CWM-R1620-4k
WX2-961830-80	96"	18"	30"	80"	185	28.2	CWM-R1620-3k
WX2-961836-86	96"	18"	36"	86"	203	37.7	CWM-R1620-4k
WX2-962424-74	96"	24"	24"	74"	178	23.3	CWM-R1620-4k
WX2-962430-80	96"	24"	30"	80"	198	35	CWM-R1620-4k
WX2-962436-86	96"	24"	36"	86"	218	46.7	CWM-R1620-4k