


Wilshire Planters GFRC Round with Toe Kick

Lightweight GFRC weighs 75% less than typical cast concrete, but retains its durability, strength, and natural appearance. Wilshire planters in GFRC are great for high traffic, street level installations, but light enough to work on a roof deck. Available in 11 colors and five textures. Made in Glass Fiber Reinforced Concrete (GFRC), Wilshire planters are durable in all climates and lighter than standard concrete.

Wilshire Planters, GFRC Round with Toe Kick



OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.











Irrigation

Change Dimension

TourneSeal

Drain Holes

Matching Saucer




Tournesol.com | 800.542.2282



Wilshire Planters GFRC Round with Toe Kick

- Durable Glass Fiber Reinforced Concrete
- 75% lighter than cast concrete
- Toe kick visually lifts planter
- Toe kick can accommodate lighting
- Drain holes standard



PRODUCT	SHAPE	DIA.	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WCST-1800	Toe Kick Round - Tall	18" dia	30"	95	3.5	15" x 15"	16.5" x 16.5"	CWI-1200
WCS-2400	Toe Kick Round	24" dia	24"	130	5.5	21" dia	19.5" dia	CWC-1600/CWM-1114-2k
WCST-2400	Toe Kick Round - Tall	24" dia	48"	190	10.6	21" x 21"	22.5" x 22.5"	CWI-1700
WCS-3000	Toe Kick Round	30" dia	27"	185	10	27" dia	24.5" dia	CWC-2400/CWM-1720-2k
WCST-3000	Toe Kick Round - Tall	30" dia	54"	285	19.2	26" x 26"	28.5" x 28.5"	CWI-2200
WCS-3600	Toe Kick Round	36" dia	30"	275	16.5	31.5" dia	30.5" dia	CWC-2800/CWM-1720-3k
WCS-4200	Toe Kick Round	42" dia	33"	340	25	37.5" dia	36.5" dia	CWC-3300/CWM-1720-3k
WCS-4800	Toe Kick Round	48" dia	36"	445	32.5	43.5" dia	42.5" dia	CWM-2920-3k
WCS-6000	Toe Kick Round	60" dia	36"	590	52	55.5" dia	54.5" dia	CWM-2920-4k
WCS-7200	Toe Kick Round	72" dia	42"	865	86.5	67" dia	66.5" dia	CWM-2920-4k