




Wilshire Planters Aluminum Rectangle & Square


Wilshire Powder-Coated Aluminum Planters are an environmentally friendly solution. Marine-grade aluminum with welded stiffeners is used to produce planters with the strength of steel but 40-60% of the weight.

Wilshire Planters, Aluminum Rectangle & Square

WILSHIRE PLANTERS, ALUMINUM RECTANGLES & SQUARES




Rectangle




Square

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire




Rectangle




Hanging Box



Trellis, Laser-Cut Screen




Square



Round

TOE KICK

A toe kick, or reveal, is a recessed base detail that visually offsets the planter from the paving surface to create a clean, architectural appearance and may also help conceal minor surface variations. Toe kick height varies by size. For planters installed in a run or to match a previous order, please confirm consistent toe kick height with an Advisor.



ADDITIONAL MODIFICATIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.




Toe Kick




Drain Holes



Irrigation



Scoops



Change Dimension



Accessory Pockets



Casters



False Bottom



Tie Downs



Custom Color


Wilshire Planters, Aluminum Rectangle & Square

POWDER-COATED ALUMINUM

Following fully welded fabrication, Wilshire Aluminum Planters are dry steam washed and pretreated with a closed loop, environmentally friendly zirconium solution before a zinc-free epoxy primer and AAMA 2604 polyester powder-coat is applied.


TOP LIP

Wilshire Aluminum Planters come with a standard lip return.



BASE OPTION

Wilshire Planters are available with a toe kick option.




DRAINAGE

Drain Holes: Standard drain holes are 1-5/8" diameter, made free-of-charge at the factory.

Wilshire Planters Aluminum Rectangle & Square


- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL181820	Square	18"	18"	20"	29	3.4	15" x 15"	14.5" x 14.5"	-
WWR-AL181830	Square	18"	18"	30"	35	5.1	15" x 15"	17.5" x 17.5"	CWC-R1100
WWR-AL241012	Rectangle	24"	10"	12"	16	1.5	21" x 7"	23.5" x 9.5"	CWM-R1109-MS
WWR-AL241218	Rectangle	24"	12"	18"	21	2.8	21" x 9"	23.5" x 11.5"	CWM-R1114-MS
WWR-AL241236	Rectangle	24"	12"	36"	43	5.6	21" x 9"	23.5" x 11.5"	CWM-R1120-MS
WWR-AL241818	Rectangle	24"	18"	18"	24	4.3	21" x 15"	23.5" x 17.5"	CWM-R1114-MS
WWR-AL241824	Rectangle	24"	18"	24"	38	5.7	21" x 15"	23.5" x 17.5"	CWM-R1620-MS
WWR-AL241830	Rectangle	24"	18"	30"	44	7	21" x 15"	23.5" x 17.5"	CWM-R1620-MS
WWR-AL241836	Rectangle	24"	18"	36"	50	8.4	21" x 15"	23.5" x 17.5"	CWM-R1620-MS
WWR-AL242418	Square	24"	24"	18"	37	5.7	21" x 21"	23.5" x 23.5"	CWM-R1614-MS
WWR-AL242424	Square	24"	24"	24"	44	8	21" x 21"	20.5" x 20.5"	CWC-R1850/CWM-R1114-2k
WWR-AL242448	Square	24"	24"	48"	51	15.1	21" x 21"	23.5" x 23.5"	CWC-R1850
WWR-AL303027	Square	30"	30"	27"	61	14	27" x 27"	25.5" x 25.5"	CWM-R1620-2k
WWR-AL303054	Square	30"	30"	54"	71	26.6	27" x 27"	29.5" x 29.5"	CWM-R1620-2k-CRT
WWR-AL361012	Rectangle	36"	10"	12"	20	2.3	33" x 7"	35.5" x 9.5"	CWM-R1109-2k
WWR-AL361218	Rectangle	36"	12"	18"	35	4.3	33" x 9"	35.5" x 11.5"	CWM-R1114-2k
WWR-AL361236	Rectangle	36"	12"	36"	56	8.5	33" x 9"	35.5" x 11.5"	CWM-R1120-2k
WWR-AL361818	Rectangle	36"	18"	18"	41	6.5	33" x 15"	35.5" x 17.5"	CWM-R1114-2k
WWR-AL361824	Rectangle	36"	18"	24"	49	8.6	33" x 15"	35.5" x 17.5"	CWM-R2020-MS
WWR-AL361830	Rectangle	36"	18"	30"	57	10.5	33" x 15"	35.5" x 17.5"	CWM-R2020-MS

Wilshire Planters Aluminum Rectangle & Square


- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL361836	Rectangle	36"	18"	36"	65	12.7	33" x 15"	35.5" x 17.5"	CWM-R2020-MS
WWR-AL362418	Rectangle	36"	24"	18"	47	8.7	33" x 21"	35.5" x 23.5"	CWM-R2014-MS
WWR-AL362424	Rectangle	36"	24"	24"	56	11.6	33" x 21"	35.5" x 23.5"	CWM-R2920-MS
WWR-AL362430	Rectangle	36"	24"	30"	65	14.1	33" x 21"	35.5" x 23.5"	CWM-R2920-MS
WWR-AL362436	Rectangle	36"	24"	36"	73	17.4	33" x 21"	35.5" x 23.5"	CWM-R2920-MS
WWR-AL362442	Rectangle	36"	24"	42"	82	19.7	33" x 21"	35.5" x 23.5"	CWM-R2920-MS
WWR-AL363018	Rectangle	36"	30"	18"	53	10.9	33" x 27"	35.5" x 29.5"	CWM-R2914-MS
WWR-AL363024	Rectangle	36"	30"	24"	62	13.7	33" x 27"	35.5" x 29.5"	CWM-R2920-MS
WWR-AL363030	Rectangle	36"	30"	30"	72	17.3	33" x 27"	35.5" x 29.5"	CWM-R2920-MS
WWR-AL363036	Rectangle	36"	30"	36"	82	20.8	33" x 27"	35.5" x 29.5"	CWM-R2920-MS
WWR-AL363042	Rectangle	36"	30"	42"	92	24.4	33" x 27"	35.5" x 29.5"	CWM-R2920-MS
WWR-AL363618	Square	36"	36"	18"	59	12.4	31" x 31"	35.5" x 35.5"	CWM-R1114-2k
WWR-AL363624	Square	36"	36"	24"	69	16.2	31" x 31"	35.5" x 35.5"	CWM-R1120-2k
WWR-AL363630	Square	36"	36"	30"	80	22	31" x 31"	35.5" x 35.5"	CWM-R1620-2k
WWR-AL363636	Square	36"	36"	36"	90	24.6	31" x 31"	35.5" x 35.5"	CWM-R1120-2k
WWR-AL363642	Square	36"	36"	42"	116	28.8	31" x 31"	35.5" x 35.5"	CWM-R1120-2k
WWR-AL424236	Square	42"	42"	36"	95	37	37" x 37"	43.5" x 43.5"	CWM-1720-4K
WWR-AL481012	Rectangle	48"	10"	12"	25	3.1	45" x 7"	47.5" x 9.5"	CWM-R1109-2k
WWR-AL481218	Rectangle	48"	12"	18"	39	5.7	45" x 9"	47.5" x 11.5"	CWM-R1114-2k
WWR-AL481236	Rectangle	48"	12"	36"	50	11.3	45" x 9"	47.5" x 11.5"	CWM-R1120-2k

Wilshire Planters Aluminum Rectangle & Square


- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL481818	Rectangle	48"	18"	18"	50	8.6	45" x 15"	47.5" x 17.5"	CWM-R1114-2k
WWR-AL481824	Rectangle	48"	18"	24"	60	11.5	45" x 15"	47.5" x 17.5"	CWM-R1620-2k
WWR-AL481830	Rectangle	48"	18"	30"	80	13.5	45" x 15"	47.5" x 17.5"	CWM-R1620-2k
WWR-AL481836	Rectangle	48"	18"	36"	89	17	45" x 15"	47.5" x 17.5"	CWM-R1620-2k
WWR-AL482418	Rectangle	48"	24"	18"	60	11.5	45" x 21"	47.5" x 23.5"	CWM-R1614-2k
WWR-AL482424	Rectangle	48"	24"	24"	67	15	45" x 21"	47.5" x 23.5"	CWM-R1620-2k
WWR-AL482430	Rectangle	48"	24"	30"	78	18.8	45" x 21"	47.5" x 23.5"	CWM-R1620-2k
WWR-AL482436	Rectangle	48"	24"	36"	99	23.3	45" x 21"	47.5" x 23.5"	CWM-R1620-2k
WWR-AL482442	Rectangle	48"	24"	42"	109	26.3	45" x 21"	47.5" x 23.5"	CWM-R1620-2k
WWR-AL483018	Rectangle	48"	30"	18"	64	14.5	45" x 27"	47.5" x 29.5"	CWM-R1614-2k
WWR-AL483024	Rectangle	48"	30"	24"	85	18.3	45" x 27"	47.5" x 29.5"	CWM-R1620-2k
WWR-AL483030	Rectangle	48"	30"	30"	97	23	45" x 27"	47.5" x 29.5"	CWM-R1620-2k
WWR-AL483036	Rectangle	48"	30"	36"	108	27.8	45" x 27"	47.5" x 29.5"	CWM-R1620-2k
WWR-AL483042	Rectangle	48"	30"	42"	125	32.5	45" x 27"	47.5" x 29.5"	CWM-R1620-2k
WWR-AL483618	Rectangle	48"	36"	18"	70	16.6	43" x 31"	47.5" x 35.5"	CWM-R1614-2k
WWR-AL483624	Rectangle	48"	36"	24"	93	21.7	43" x 31"	47.5" x 35.5"	CWM-R1620-2k
WWR-AL483630	Rectangle	48"	36"	30"	105	27.4	43" x 31"	47.5" x 35.5"	CWM-R1620-2k
WWR-AL483636	Rectangle	48"	36"	36"	123	33	43" x 31"	47.5" x 35.5"	CWM-R1620-2k
WWR-AL483642	Rectangle	48"	36"	42"	137	38.6	43" x 31"	47.5" x 35.5"	CWM-R1620-2k
WWR-AL484818	Rectangle	48"	48"	18"	84	22.1	43" x 43"	47.5" x 47.5"	CWM-R1614-2k

Wilshire Planters Aluminum Rectangle & Square


- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL484824	Square	48"	48"	24"	98	29	43" x 43"	43.5" x 43.5"	CWM-R2914-2k
WWR-AL484830	Square	48"	48"	30"	132	36.3	43" x 43"	47.5" x 47.5"	CWM-R1620-2k
WWR-AL484836	Square	48"	48"	36"	146	48	43" x 43"	43.5" x 43.5"	CWM-R2920-2k
WWR-AL484842	Square	48"	48"	42"	161	51.1	43" x 43"	47.5" x 47.5"	CWM-R1620-2k
WWR-AL601012	Rectangle	60"	10"	12"	39	3.9	57" x 7"	59.5" x 9.5"	CWM-R1109-2k
WWR-AL601218	Rectangle	60"	12"	18"	52	7.1	57" x 9"	59.5" x 11.5"	CWM-R1114-2k
WWR-AL601236	Rectangle	60"	12"	36"	96	14.2	57" x 9"	59.5" x 11.5"	CWM-R1120-2k
WWR-AL601818	Rectangle	60"	18"	18"	59	10.8	57" x 15"	59.5" x 17.5"	CWM-R1114-2k
WWR-AL601824	Rectangle	60"	18"	24"	74	14.4	57" x 15"	59.5" x 17.5"	CWM-R1620-2k
WWR-AL601830	Rectangle	60"	18"	30"	95	16.9	57" x 15"	59.5" x 17.5"	CWM-R2020-2k
WWR-AL601836	Rectangle	60"	18"	36"	106	21.2	57" x 15"	59.5" x 17.5"	CWM-R2020-2k
WWR-AL602418	Rectangle	60"	24"	18"	67	14.5	57" x 21"	59.5" x 23.5"	CWM-R2014-2k
WWR-AL602424	Rectangle	60"	24"	24"	92	18.8	57" x 21"	59.5" x 23.5"	CWM-R2020-2k
WWR-AL602430	Rectangle	60"	24"	30"	104	23.5	57" x 21"	59.5" x 23.5"	CWM-R2020-2k
WWR-AL602436	Rectangle	60"	24"	36"	122	29.1	57" x 21"	59.5" x 23.5"	CWM-R2020-2k
WWR-AL602442	Rectangle	60"	24"	42"	135	32.9	57" x 21"	59.5" x 23.5"	CWM-R2020-2k
WWR-AL603018	Rectangle	60"	30"	18"	74	18.2	57" x 27"	59.5" x 29.5"	CWM-R2014-2k
WWR-AL603024	Rectangle	60"	30"	24"	100	22.8	57" x 27"	59.5" x 29.5"	CWM-R2020-2k
WWR-AL603030	Rectangle	60"	30"	30"	118	28.8	57" x 27"	59.5" x 29.5"	CWM-R2020-2k
WWR-AL603036	Rectangle	60"	30"	36"	132	34.7	57" x 27"	59.5" x 29.5"	CWM-R2020-2k

Wilshire Planters Aluminum Rectangle & Square


- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL603042	Rectangle	60"	30"	42"	146	40.7	57" x 27"	59.5" x 29.5"	CWM-R2020-2k
WWR-AL603618	Rectangle	60"	36"	18"	82	20.7	55" x 31"	59.5" x 35.5"	CWM-R2014-2k
WWR-AL603624	Rectangle	60"	36"	24"	109	27.3	55" x 31"	59.5" x 35.5"	CWM-R2020-2k
WWR-AL603630	Rectangle	60"	36"	30"	123	34.4	55" x 31"	59.5" x 35.5"	CWM-R2020-2k
WWR-AL603636	Rectangle	60"	36"	36"	142	41.4	55" x 31"	59.5" x 35.5"	CWM-R2020-2k
WWR-AL603642	Rectangle	60"	36"	42"	157	48.5	55" x 31"	59.5" x 35.5"	CWM-R2020-2k
WWR-AL604818	Rectangle	60"	48"	18"	102	27.7	55" x 43"	59.5" x 47.5"	CWM-R2014-2k
WWR-AL604824	Rectangle	60"	48"	24"	129	36.3	55" x 43"	59.5" x 47.5"	CWM-R2014-2k
WWR-AL604830	Rectangle	60"	48"	30"	152	45.7	55" x 43"	59.5" x 47.5"	CWM-R2020-2k
WWR-AL604836	Rectangle	60"	48"	36"	173	54.9	55" x 43"	59.5" x 47.5"	CWM-R2020-2k
WWR-AL604842	Rectangle	60"	48"	42"	190	64.3	55" x 43"	59.5" x 47.5"	CWM-R2020-2k
WWR-AL606042	Square	60"	60"	42"	234	80	55" x 55"	55.5" x 55.5"	CWM-R2920-4k
WWR-AL721012	Rectangle	72"	10"	12"	45	4.7	69" x 7"	71.5" x 9.5"	CWM-R1109-3k
WWR-AL721218	Rectangle	72"	12"	18"	62	8.5	69" x 9"	71.5" x 11.5"	CWM-R1114-3k
WWR-AL721236	Rectangle	72"	12"	36"	112	17	69" x 9"	71.5" x 11.5"	CWM-R1120-3k
WWR-AL721818	Rectangle	72"	18"	18"	68	12.9	69" x 15"	71.5" x 17.5"	CWM-R1114-3k
WWR-AL721824	Rectangle	72"	18"	24"	97	17.3	69" x 15"	71.5" x 17.5"	CWM-R1620-3k
WWR-AL721830	Rectangle	72"	18"	30"	114	20.2	69" x 15"	71.5" x 17.5"	CWM-R1620-3k
WWR-AL721836	Rectangle	72"	18"	36"	123	25.5	69" x 15"	71.5" x 17.5"	CWM-R1620-3k
WWR-AL722418	Rectangle	72"	24"	18"	79	17.4	69" x 21"	71.5" x 23.5"	CWM-R1614-3k

Wilshire Planters Aluminum Rectangle & Square


- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL722424	Rectangle	72"	24"	24"	94	22.6	69" x 21"	71.5" x 23.5"	CWM-R1620-3k
WWR-AL722430	Rectangle	72"	24"	30"	125	28.2	69" x 21"	71.5" x 23.5"	CWM-R1620-3k
WWR-AL722436	Rectangle	72"	24"	36"	140	35	69" x 21"	71.5" x 23.5"	CWM-R1620-3k
WWR-AL722442	Rectangle	72"	24"	42"	155	39.5	69" x 21"	71.5" x 23.5"	CWM-R1620-3k
WWR-AL723018	Rectangle	72"	30"	18"	88	21.8	69" x 27"	71.5" x 29.5"	CWM-R1614-3k
WWR-AL723024	Rectangle	72"	30"	24"	119	27.4	69" x 27"	71.5" x 29.5"	CWM-R1620-3k
WWR-AL723030	Rectangle	72"	30"	30"	135	34.5	69" x 27"	71.5" x 29.5"	CWM-R1620-3k
WWR-AL723036	Rectangle	72"	30"	36"	146	41.7	69" x 27"	71.5" x 29.5"	CWM-R1620-3k
WWR-AL723042	Rectangle	72"	30"	42"	167	48.8	69" x 27"	71.5" x 29.5"	CWM-R1620-3k
WWR-AL723618	Rectangle	72"	36"	18"	96	24.9	67" x 31"	71.5" x 35.5"	CWM-R1614-3k
WWR-AL723624	Rectangle	72"	36"	24"	125	32.8	67" x 31"	71.5" x 35.5"	CWM-R1620-3k
WWR-AL723630	Rectangle	72"	36"	30"	141	41.3	67" x 31"	71.5" x 35.5"	CWM-R1620-3k
WWR-AL723636	Rectangle	72"	36"	36"	162	49.8	67" x 31"	71.5" x 35.5"	CWM-R1620-3k
WWR-AL723642	Rectangle	72"	36"	42"	179	58.3	67" x 31"	71.5" x 35.5"	CWM-R1620-3k
WWR-AL724818	Rectangle	72"	48"	18"	113	33.3	67" x 43"	71.5" x 47.5"	CWM-R1614-3k
WWR-AL724824	Rectangle	72"	48"	24"	129	43.6	67" x 43"	71.5" x 47.5"	CWM-R1614-3k
WWR-AL724830	Rectangle	72"	48"	30"	172	55	67" x 43"	71.5" x 47.5"	CWM-R1620-3k
WWR-AL724836	Rectangle	72"	48"	36"	194	66.1	67" x 43"	71.5" x 47.5"	CWM-R1620-3k
WWR-AL724842	Rectangle	72"	48"	42"	228	77.4	67" x 43"	71.5" x 47.5"	CWM-R1620-3k
WWR-AL727242	Square	72"	72"	42"	297	120	67" x 67"	67.5" x 67.5"	CWM-R2020-4k-E

Wilshire Planters Aluminum Rectangle & Square


- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL961012	Rectangle	96"	10"	12"	59	6.3	93" x 7"	95.5" x 9.5"	CWM-R1109-5k
WWR-AL961218	Rectangle	96"	12"	18"	79	11.4	93" x 9"	95.5" x 11.5"	CWM-R1114-4k
WWR-AL961236	Rectangle	96"	12"	36"	145	22.6	93" x 9"	95.5" x 11.5"	CWM-R1120-4k
WWR-AL961818	Rectangle	96"	18"	18"	89	17.3	93" x 15"	95.5" x 17.5"	CWM-R1114-4k
WWR-AL961824	Rectangle	96"	18"	24"	127	23.1	93" x 15"	95.5" x 17.5"	CWM-R1620-4k
WWR-AL961830	Rectangle	96"	18"	30"	145	27	93" x 15"	95.5" x 17.5"	CWM-R1620-4k
WWR-AL961836	Rectangle	96"	18"	36"	157	34	93" x 15"	95.5" x 17.5"	CWM-R1620-4k
WWR-AL962418	Rectangle	96"	24"	18"	99	23.2	93" x 21"	95.5" x 23.5"	CWM-R1614-4k
WWR-AL962424	Rectangle	96"	24"	24"	138	30.1	93" x 21"	95.5" x 23.5"	CWM-R1620-4k
WWR-AL962430	Rectangle	96"	24"	30"	157	37.7	93" x 21"	95.5" x 23.5"	CWM-R1620-4k
WWR-AL962436	Rectangle	96"	24"	36"	175	46.7	93" x 21"	95.5" x 23.5"	CWM-R1620-4k
WWR-AL962442	Rectangle	96"	24"	42"	215	52.7	93" x 21"	95.5" x 23.5"	CWM-R1620-4k
WWR-AL963018	Rectangle	96"	30"	18"	109	27.6	93" x 27"	95.5" x 29.5"	CWM-R1614-4k
WWR-AL963024	Rectangle	96"	30"	24"	129	36.6	93" x 27"	95.5" x 29.5"	CWM-R1620-4k
WWR-AL963030	Rectangle	96"	30"	30"	169	46.1	93" x 27"	95.5" x 29.5"	CWM-R1620-4k
WWR-AL963036	Rectangle	96"	30"	36"	188	55.6	93" x 27"	95.5" x 29.5"	CWM-R1620-4k
WWR-AL963042	Rectangle	96"	30"	42"	235	65.1	93" x 27"	95.5" x 29.5"	CWM-R1620-4k
WWR-AL963618	Rectangle	96"	36"	18"	120	33.2	91" x 31"	95.5" x 35.5"	CWM-R1614-4k
WWR-AL963624	Rectangle	96"	36"	24"	140	43.9	91" x 31"	95.5" x 35.5"	CWM-R1620-4k
WWR-AL963630	Rectangle	96"	36"	30"	181	55.3	91" x 31"	95.5" x 35.5"	CWM-R1620-4k

Wilshire Planters Aluminum Rectangle & Square

- 100% recyclable marine-grade aluminum
- Same strength as Wilshire Steel but weigh 40-60% less
- Engineered for strength with welded stiffeners
- Laser-cut & welded for consistent thickness and edge-detail at any scale
- Powder-coat over zinc-free epoxy primer



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWR-AL963636	Rectangle	96"	36"	36"	229	66.6	91" x 31"	95.5" x 35.5"	CWM-R1620-4k
WWR-AL963642	Rectangle	96"	36"	42"	250	78	91" x 31"	95.5" x 35.5"	CWM-R1620-4k
WWR-AL964818	Rectangle	96"	48"	18"	140	44.4	91" x 43"	95.5" x 47.5"	CWM-R1614-4k
WWR-AL964824	Rectangle	96"	48"	24"	190	58.4	91" x 43"	95.5" x 47.5"	CWM-R1614-4k
WWR-AL964830	Rectangle	96"	48"	30"	215	73.6	91" x 43"	95.5" x 47.5"	CWM-R1620-4k
WWR-AL964836	Rectangle	96"	48"	36"	258	88.5	91" x 43"	95.5" x 47.5"	CWM-R1620-4k
WWR-AL964842	Rectangle	96"	48"	42"	296	103.7	91" x 43"	95.5" x 47.5"	CWM-R1620-4k