



Wilshire Planters

Weathering Steel Rectangle & Square


Weathering Steel planters offer a warm industrial aesthetic favored by many landscape architects. The natural red-orange oxidization forms a protective patina that develops and regenerates continuously. Our A588 and A606 grade steel planters are meticulously assembled and welded.

Weathering Steel or Pre-Weathered Steel


Our Weathering Steel ships with a natural mill scale finish. The initial oxidation develops within weeks and evolves over time. Pre-Weathered Steel products undergo an earth-friendly pre-treatment, which steps up the oxidation process timeline to help achieve the desired visual result faster.

Wilshire Planters, Weathering Steel, Rectangle & Square

WILSHIRE PLANTERS, WEATHERING STEEL RECTANGLES & SQUARES




Rectangle




Square

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire




Rectangle




Hanging Box



Trellis, Laser-Cut Screen




Square



Round

TOE KICK

A toe kick, or reveal, is a recessed base detail that visually offsets the planter from the paving surface to create a clean, architectural appearance and may also help conceal minor surface variations. Toe kick height varies by size. For planters installed in a run or to match a previous order, please confirm consistent toe kick height with an Advisor.



MODIFICATIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.




Toe Kick




Drain Holes



Irrigation



Scoops



Change Dimension



Accessory Pockets



Casters



Tie Downs



Pre-Weathering Treatment

Wilshire Planters, Weathering Steel, Rectangle & Square

WEATHERING STEEL

Our Weathering Steel ships with a natural mill scale finish. The initial oxidation develops within weeks and evolves over time. Environmental conditions such as humidity, salt, and the temperature at installation can affect rust uniformity and formation rate. The color develops from a vibrant orange to a deep reddish-brown.

PRE-WEATHERED STEEL

Our Pre-Weathered Steel products undergo an earth-friendly pre-treatment, which steps up the oxidation process timeline to help achieve the desired visual result faster.


Our process begins by grit-blasting the raw mill scale surface; next we treat it with an all-natural solution of hydrogen peroxide, vinegar, and salt. Treated products cure for a day before being individually wrapped in paper and then plastic before shipping.

Raw mill scale steel and treated surfaces can be powdery and may show markings during delivery and installation. These changes are affected by humidity levels and storage.

Weathering Steel products should be unwrapped upon arrival and stored indoors if possible. Shedding during unpacking and storing may occur; protect flooring during storage and installation.


TOP LIP

Wilshire Planters in Weathering Steel come with a standard lip return.



BASE OPTION

Wilshire Planters are available with a toe kick option.




DRAINAGE

Drain Holes: Standard drain holes are 1-5/8" diameter, made free-of-charge at the factory.

Wilshire Planters Weathering Steel, Rectangle & Square


- 12-gauge A588 and A606 Steel
- Engineered to resist deformation
- Fully welded corners
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-WS181820	Square	18"	18"	20"	64	3.5	15" x 15"	-
WWR-WS181830	Square	18"	18"	30"	85	5.25	15" x 15"	CWM-R2020-MS
WWR-WS241012	Rectangle	24"	10"	12"	36	1.47	21" x 7"	CWM-R1109-MS
WWR-WS241218	Rectangle	24"	12"	18"	52	2.74	21" x 9"	CWM-R1614-MS
WWR-WS241236	Rectangle	24"	12"	36"	43	5.6	21" x 9"	CWM-R1120-MS
WWR-WS241818	Rectangle	24"	18"	18"	64	4.14	21" x 15"	CWM-R2014-MS
WWR-WS241824	Rectangle	24"	18"	24"	86	5.5	21" x 15"	CWM-R2014-MS
WWR-WS241830	Rectangle	24"	18"	30"	94	7.08	21" x 15"	CWM-R2020-MS
WWR-WS241836	Rectangle	24"	18"	36"	50	8.4	21" x 15"	CWM-R1620-MS
WWR-WS242418	Square	24"	24"	18"	76	5.53	21" x 21"	CWM-R2014-MS
WWR-WS242424	Square	24"	24"	24"	106	7.5	21" x 21"	CWC-R1850/CWM-R1114-2k
WWR-WS242448	Square	24"	24"	48"	170	15.25	21" x 21"	CWC-R1850/CWM-R1120-2k
WWR-WS303027	Square	30"	30"	27"	150	13	27" x 27"	CWM-R1620-3K/CWM-1720-4K
WWR-WS303054	Square	30"	30"	54"	71	26.6	27" x 27"	CWM-R1620-2k-CRT
WWR-WS361012	Rectangle	36"	10"	12"	51	2.21	33" x 7"	CWM-R1109-2K
WWR-WS361218	Rectangle	36"	12"	18"	71	4.13	33" x 9"	CWM-R1614-MS
WWR-WS361236	Rectangle	36"	12"	36"	56	8.5	33" x 9"	CWM-R1120-2k
WWR-WS361818	Rectangle	36"	18"	18"	85	6.23	33" x 15"	CWM-R2014-MS
WWR-WS361824	Rectangle	36"	18"	24"	115	8	33" x 15"	CWM-R2014-MS
WWR-WS361830	Rectangle	36"	18"	30"	134	10.65	33" x 15"	CWM-R2020-MS

Wilshire Planters Weathering Steel, Rectangle & Square


- 12-gauge A588 and A606 Steel
- Engineered to resist deformation
- Fully welded corners
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-WS361836	Rectangle	36"	18"	36"	65	12.7	33" x 15"	CWM-R2020-MS
WWR-WS362418	Rectangle	36"	24"	18"	99	8.32	33" x 21"	CWM-R2014-MS
WWR-WS362424	Rectangle	36"	24"	24"	132	11	33" x 21"	CWM-R2914-MS
WWR-WS362430	Rectangle	36"	24"	30"	153	14.24	33" x 21"	CWM-R2920-MS
WWR-WS362436	Rectangle	36"	24"	36"	175	17.19	33" x 21"	CWM-R2920-MS
WWR-WS362442	Rectangle	36"	24"	42"	196	20.15	33" x 21"	CWM-R2920-MS
WWR-WS363018	Rectangle	36"	30"	18"	113	10.42	33" x 27"	CWM-R2914-MS
WWR-WS363024	Rectangle	36"	30"	24"	137	14.13	33" x 27"	CWM-R2920-MS
WWR-WS363030	Rectangle	36"	30"	30"	173	17.5	33" x 27"	CWM-R2920-MS
WWR-WS363036	Rectangle	36"	30"	36"	196	21.53	33" x 27"	CWM-R2920-MS
WWR-WS363042	Rectangle	36"	30"	42"	220	25.23	33" x 27"	CWM-R2920-MS
WWR-WS363618	Square	36"	36"	18"	127	12.52	33" x 33"	CWM-R2914-MS
WWR-WS363624	Square	36"	36"	24"	153	16.97	33" x 33"	CWM-R2920-MS
WWR-WS363630	Square	36"	36"	30"	204	21	33" x 33"	CWM-R1620-2K/CWM-1720-4K
WWR-WS363636	Square	36"	36"	36"	218	25.87	33" x 33"	CWM-R2920-MS
WWR-WS363642	Square	36"	36"	42"	243	30.31	33" x 33"	CWM-R2920-MS
WWR-WS424236	Square	42"	42"	36"	262	35.25	39" x 39"	CWM-R1120-4K/CWM-1720-4K
WWR-WS481012	Rectangle	48"	10"	12"	65	2.95	45" x 7"	CWM-R1109-3K
WWR-WS481218	Rectangle	48"	12"	18"	91	5.51	45" x 9"	CWM-R1614-2K
WWR-WS481236	Rectangle	48"	12"	36"	50	11.3	45" x 9"	CWM-R1120-2k

Wilshire Planters Weathering Steel, Rectangle & Square


- 12-gauge A588 and A606 Steel
- Engineered to resist deformation
- Fully welded corners
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-WS481818	Rectangle	48"	18"	18"	107	8.31	45" x 15"	CWM-R2014-2K
WWR-WS481824	Rectangle	48"	18"	24"	148	11	45" x 15"	CWM-R2014-2k
WWR-WS481830	Rectangle	48"	18"	30"	166	14.22	45" x 15"	CWM-R2020-2K
WWR-WS481836	Rectangle	48"	18"	36"	89	17	45" x 15"	CWM-R1620-2k
WWR-WS482418	Rectangle	48"	24"	18"	123	11.12	45" x 21"	CWM-R2014-2K
WWR-WS482424	Rectangle	48"	24"	24"	169	14.5	45" x 21"	CWM-R2014-2k
WWR-WS482430	Rectangle	48"	24"	30"	188	19.01	45" x 21"	CWM-R2020-2k
WWR-WS482436	Rectangle	48"	24"	36"	213	22.96	45" x 21"	CWM-R2020-2k
WWR-WS482442	Rectangle	48"	24"	42"	239	26.91	45" x 21"	CWM-R2020-2k
WWR-WS483018	Rectangle	48"	30"	18"	139	13.92	45" x 27"	CWM-R2014-2k
WWR-WS483024	Rectangle	48"	30"	24"	167	18.86	45" x 27"	CWM-R2020-2k
WWR-WS483030	Rectangle	48"	30"	30"	219	23.5	45" x 27"	CWM-R2020-2k
WWR-WS483036	Rectangle	48"	30"	36"	237	28.75	45" x 27"	CWM-R2020-2k
WWR-WS483042	Rectangle	48"	30"	42"	265	33.69	45" x 27"	CWM-R2020-2k
WWR-WS483618	Rectangle	48"	36"	18"	155	16.72	45" x 33"	CWM-R2014-2k
WWR-WS483624	Rectangle	48"	36"	24"	185	22.66	45" x 33"	CWM-R2020-2k
WWR-WS483630	Rectangle	48"	36"	30"	231	28.6	45" x 33"	CWM-R2020-2k
WWR-WS483636	Rectangle	48"	36"	36"	261	34.54	45" x 33"	CWM-R2020-2k
WWR-WS483642	Rectangle	48"	36"	42"	291	40.48	45" x 33"	CWM-R2020-2k
WWR-WS484818	Rectangle	48"	48"	18"	187	22.33	45" x 45"	CWM-R2014-2k

Wilshire Planters Weathering Steel, Rectangle & Square


- 12-gauge A588 and A606 Steel
- Engineered to resist deformation
- Fully welded corners
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-WS484824	Square	48"	48"	24"	239	30.25	45" x 45"	CWM-R2014-4K
WWR-WS484830	Square	48"	48"	30"	274	38.19	45" x 45"	CWM-R2020-2k
WWR-WS484836	Square	48"	48"	36"	344	45.5	45" x 45"	CWM-R2920-4k
WWR-WS484842	Square	48"	48"	42"	342	54.05	45" x 45"	CWM-R2020-2k
WWR-WS601012	Rectangle	60"	10"	12"	79	3.69	57" x 7"	CWM-R1109-3K
WWR-WS601218	Rectangle	60"	12"	18"	110	6.89	57" x 9"	CWM-R1614-3K
WWR-WS601236	Rectangle	60"	12"	36"	96	14.2	57" x 9"	CWM-R1120-2k
WWR-WS601818	Rectangle	60"	18"	18"	128	10.4	57" x 15"	CWM-R2014-2K
WWR-WS601824	Rectangle	60"	18"	24"	177	14	57" x 15"	CWM-R2014-2k
WWR-WS601830	Rectangle	60"	18"	30"	198	17.79	57" x 15"	CWM-R2020-2K
WWR-WS601836	Rectangle	60"	18"	36"	106	21.2	57" x 15"	CWM-R2020-2k
WWR-WS602418	Rectangle	60"	24"	18"	146	13.91	57" x 21"	CWM-R2014-2K
WWR-WS602424	Rectangle	60"	24"	24"	200	18.5	57" x 21"	CWM-R2014-2k
WWR-WS602430	Rectangle	60"	24"	30"	222	23.78	57" x 21"	CWM-R2020-2k
WWR-WS602436	Rectangle	60"	24"	36"	252	28.72	57" x 21"	CWM-R2020-2k
WWR-WS602442	Rectangle	60"	24"	42"	298	33.66	57" x 21"	CWM-R2020-2k
WWR-WS603018	Rectangle	60"	30"	18"	164	17.41	57" x 27"	CWM-R2014-2k
WWR-WS603024	Rectangle	60"	30"	24"	197	23.6	57" x 27"	CWM-R2020-2k
WWR-WS603030	Rectangle	60"	30"	30"	256	29	57" x 27"	CWM-R2020-2k
WWR-WS603036	Rectangle	60"	30"	36"	278	35.97	57" x 27"	CWM-R2020-2k

Wilshire Planters Weathering Steel, Rectangle & Square


- 12-gauge A588 and A606 Steel
- Engineered to resist deformation
- Fully welded corners
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-WS603042	Rectangle	60"	30"	42"	327	42.15	57" x 27"	CWM-R2020-2k
WWR-WS603618	Rectangle	60"	36"	18"	183	20.92	57" x 33"	CWM-R2014-2k
WWR-WS603624	Rectangle	60"	36"	24"	217	28.35	57" x 33"	CWM-R2020-2k
WWR-WS603630	Rectangle	60"	36"	30"	269	35.78	57" x 33"	CWM-R2020-2k
WWR-WS603636	Rectangle	60"	36"	36"	304	43.21	57" x 33"	CWM-R2020-2k
WWR-WS603642	Rectangle	60"	36"	42"	356	50.64	57" x 33"	CWM-R2020-2k
WWR-WS604818	Rectangle	60"	48"	18"	219	27.94	57" x 45"	CWM-R2014-2k
WWR-WS604824	Rectangle	60"	48"	24"	257	37.86	57" x 45"	CWM-R2020-2k
WWR-WS604830	Rectangle	60"	48"	30"	317	47.78	57" x 45"	CWM-R2020-2k
WWR-WS604836	Rectangle	60"	48"	36"	355	57.7	57" x 45"	CWM-R2020-2k
WWR-WS604842	Rectangle	60"	48"	42"	414	67.62	57" x 45"	CWM-R2020-2k
WWR-WS606042	Square	60"	60"	42"	450	84.5	57" x 57"	CWM-2920-4K
WWR-WS721012	Rectangle	72"	10"	12"	93	4.43	69" x 7"	CWM-R1109-4K
WWR-WS721218	Rectangle	72"	12"	18"	129	8.28	69" x 9"	CWM-R1614-3K
WWR-WS721236	Rectangle	72"	12"	36"	112	17	69" x 9"	CWM-R1120-3k
WWR-WS721818	Rectangle	72"	18"	18"	149	12.49	69" x 15"	CWM-R2014-3K
WWR-WS721824	Rectangle	72"	18"	24"	210	16.5	69" x 15"	CWM-R2014-3k
WWR-WS721830	Rectangle	72"	18"	30"	231	21.36	69" x 15"	CWM-R2020-3K
WWR-WS721836	Rectangle	72"	18"	36"	123	25.5	69" x 15"	CWM-R1620-3k
WWR-WS722418	Rectangle	72"	24"	18"	170	16.7	69" x 21"	CWM-R2014-3K

Wilshire Planters Weathering Steel, Rectangle & Square


- 12-gauge A588 and A606 Steel
- Engineered to resist deformation
- Fully welded corners
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-WS722424	Rectangle	72"	24"	24"	238	22	69" x 21"	CWM-R2014-3k
WWR-WS722430	Rectangle	72"	24"	30"	257	28.56	69" x 21"	CWM-R2020-3k
WWR-WS722436	Rectangle	72"	24"	36"	291	34.49	69" x 21"	CWM-R2020-3k
WWR-WS722442	Rectangle	72"	24"	42"	343	40.42	69" x 21"	CWM-R2020-3k
WWR-WS723018	Rectangle	72"	30"	18"	190	20.91	69" x 27"	CWM-R2014-3k
WWR-WS723024	Rectangle	72"	30"	24"	226	28.34	69" x 27"	CWM-R2020-3k
WWR-WS723030	Rectangle	72"	30"	30"	301	35	69" x 27"	CWM-R2020-3k
WWR-WS723036	Rectangle	72"	30"	36"	319	43.19	69" x 27"	CWM-R2020-3k
WWR-WS723042	Rectangle	72"	30"	42"	375	50.61	69" x 27"	CWM-R2020-3k
WWR-WS723618	Rectangle	72"	36"	18"	210	25.12	69" x 33"	CWM-R2014-3k
WWR-WS723624	Rectangle	72"	36"	24"	249	34.04	69" x 33"	CWM-R2020-3k
WWR-WS723630	Rectangle	72"	36"	30"	308	42.96	69" x 33"	CWM-R2020-3k
WWR-WS723636	Rectangle	72"	36"	36"	347	51.89	69" x 33"	CWM-R2020-3k
WWR-WS723642	Rectangle	72"	36"	42"	406	60.81	69" x 33"	CWM-R2020-3k
WWR-WS724818	Rectangle	72"	48"	18"	251	33.54	69" x 45"	CWM-R2014-3k
WWR-WS724824	Rectangle	72"	48"	24"	294	45.46	69" x 45"	CWM-R2020-3k
WWR-WS724830	Rectangle	72"	48"	30"	360	57.37	69" x 45"	CWM-R2020-3k
WWR-WS724836	Rectangle	72"	48"	36"	403	69.28	69" x 45"	CWM-R2020-3k
WWR-WS724842	Rectangle	72"	48"	42"	468	81.19	69" x 45"	CWM-R2020-3k
WWR-WS727242	Square	72"	72"	42"	566	122	69" x 69"	CWM-2920-4KE

Wilshire Planters Weathering Steel, Rectangle & Square


- 12-gauge A588 and A606 Steel
- Engineered to resist deformation
- Fully welded corners
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-WS961012	Rectangle	96"	10"	12"	121	5.91	93" x 7"	CWM-R1109-5k
WWR-WS961218	Rectangle	96"	12"	18"	167	11.04	93" x 9"	CWM-R1614-4K
WWR-WS961236	Rectangle	96"	12"	36"	145	22.6	93" x 9"	CWM-R1120-4k
WWR-WS961818	Rectangle	96"	18"	18"	192	16.66	93" x 15"	CWM-R2014-3K
WWR-WS961824	Rectangle	96"	18"	24"	267	22	93" x 15"	CWM-R2014-4k
WWR-WS961830	Rectangle	96"	18"	30"	317	28.5	93" x 15"	CWM-R2020-3K
WWR-WS961836	Rectangle	96"	18"	36"	157	34	93" x 15"	CWM-R1120-4k
WWR-WS962418	Rectangle	96"	24"	18"	217	22.28	93" x 21"	CWM-R2014-3K
WWR-WS962424	Rectangle	96"	24"	24"	299	29.5	93" x 21"	CWM-R2014-4k
WWR-WS962430	Rectangle	96"	24"	30"	348	38.11	93" x 21"	CWM-R2020-4k
WWR-WS962436	Rectangle	96"	24"	36"	391	46.02	93" x 21"	CWM-R2020-4k
WWR-WS962442	Rectangle	96"	24"	42"	457	53.93	93" x 21"	CWM-R2020-4k
WWR-WS963018	Rectangle	96"	30"	18"	241	27.9	93" x 27"	CWM-R2014-4k
WWR-WS963024	Rectangle	96"	30"	24"	311	37.81	93" x 27"	CWM-R2020-4k
WWR-WS963030	Rectangle	96"	30"	30"	375	46.5	93" x 27"	CWM-R2020-4k
WWR-WS963036	Rectangle	96"	30"	36"	425	57.62	93" x 27"	CWM-R2020-4k
WWR-WS963042	Rectangle	96"	30"	42"	494	67.53	93" x 27"	CWM-R2020-4k
WWR-WS963618	Rectangle	96"	36"	18"	266	33.52	93" x 33"	CWM-R2014-4k
WWR-WS963624	Rectangle	96"	36"	24"	338	45.42	93" x 33"	CWM-R2020-4k
WWR-WS963630	Rectangle	96"	36"	30"	411	57.33	93" x 33"	CWM-R2020-4k

Wilshire Planters Weathering Steel, Rectangle & Square

- 12-gauge A588 and A606 Steel
- Engineered to resist deformation
- Fully welded corners
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	LENGTH	WIDTH	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	IRRIGATION
WWR-WS963636	Rectangle	96"	36"	36"	458	69.23	93" x 33"	CWM-R2020-4k
WWR-WS963642	Rectangle	96"	36"	42"	531	81.14	93" x 33"	CWM-R2020-4k
WWR-WS964818	Rectangle	96"	48"	18"	315	44.76	93" x 45"	CWM-R2014-4k
WWR-WS964824	Rectangle	96"	48"	24"	394	60.65	93" x 45"	CWM-R2020-4k
WWR-WS964830	Rectangle	96"	48"	30"	474	76.55	93" x 45"	CWM-R2020-4k
WWR-WS964836	Rectangle	96"	48"	36"	525	92.44	93" x 45"	CWM-R2020-4k
WWR-WS964842	Rectangle	96"	48"	42"	604	108.34	93" x 45"	CWM-R2020-4k