



Wilshire Planters Weathering Steel, Round


Weathering Steel planters offer a warm industrial aesthetic favored by many landscape architects. The natural red-orange oxidization forms a protective patina that develops and regenerates continuously. Our A588 and A606 grade steel planters are meticulously assembled and welded.

Weathering Steel or Pre-Weathered Steel

Our Weathering Steel ships with a natural mill scale finish. The initial oxidation develops within weeks and evolves over time. Pre-Weathered Steel products undergo an earth-friendly pre-treatment, which steps up the oxidation process timeline to help achieve the desired visual result faster.

Wilshire Planters, Weathering Steel, Round


WILSHIRE PLANTERS, WEATHERING STEEL ROUND




Round

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire



Rectangle



Hanging Box



Trellis, Laser-Cut Screen




Square



Round

TOE KICK

A toe kick, or reveal, is a recessed base detail that visually offsets the planter from the paving surface to create a clean, architectural appearance and may also help conceal minor surface variations. Toe kick height varies by size. For planters installed in a run or to match a previous order, please confirm consistent toe kick height with an Advisor.



MODIFICATIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.




Toe Kick



Drain Holes



Irrigation



Change Dimension



Casters



False Bottom



Tie Downs



Pre-Weathering
Treatment

Wilshire Planters, Weathering Steel, Round

WEATHERING STEEL

Our Weathering Steel ships with a natural mill scale finish. The initial oxidation develops within weeks and evolves over time. Environmental conditions such as humidity, salt, and the temperature at installation can affect rust uniformity and formation rate. The color develops from a vibrant orange to a deep reddish-brown.

PRE-WEATHERED STEEL

Our Pre-Weathered Steel products undergo an earth-friendly pre-treatment, which steps up the oxidation process timeline to help achieve the desired visual result faster.


Our process begins by grit-blasting the raw mill scale surface; next we treat it with an all-natural solution of hydrogen peroxide, vinegar, and salt. Treated products cure for a day before being individually wrapped in paper and then plastic before shipping.

Raw mill scale steel and treated surfaces can be powdery and may show markings during delivery and installation. These changes are affected by humidity levels and storage.

Weathering Steel products should be unwrapped upon arrival and stored indoors if possible. Shedding during unpacking and storing may occur; protect flooring during storage and installation.


TOP LIP

Wilshire Planters in Weathering Steel come with a standard lip return.



BASE OPTION

Wilshire Planters are available with a toe kick option.




Toe kick option

DRAINAGE

Drain Holes: Standard drain holes are 1-5/8" diameter, made free-of-charge at the factory.

Wilshire Planters, Weathering Steel Round

- Fully welded 12-gauge weathering steel
- Engineered to resist deformation
- Protective weathering patina
- Optional toe kick available
- Drain holes standard



PRODUCT	SHAPE	DIA.	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWS-WS1820	Round	18" dia	20"	52	3	15" dia	14.5" dia	CWC-1216
WWS-WS2424	Round	24" dia	24"	84	6	21" dia	20.5" dia	CWC-1600/CWM-1114-2k
WWS-WS3027	Round	30" dia	27"	117	11	27" dia	25.5" dia	CWC-2400/CWM-1720-2k
WWS-WS3630	Round	36" dia	30"	163	17	33" dia	31.5" dia	CWM-1720-3k
WWS-WS4233	Round	42" dia	33"	210	26	39" dia	37.5" dia	CWM-1720-3k
WWS-WS4836	Round	48" dia	36"	261	37	45" dia	43.5" dia	CWM-2920-3k
WWS-WS6036	Round	60" dia	36"	347	57	57" dia	55.5" dia	CWM-2920-4k
WWS-WS7242	Round	72" dia	42"	489	96	69" dia	67.5" dia	CWM-2920-5k